

## Clay Plain Tiles

### MARLEY ETERNIT

### FORTICRETE

Plain clay tiles are manufactured in two distinctive styles, hand made and machine made.

This table identifies the vast range of clay plain tiles, usually available from stock.

It is not always advised to lay tiles at the minimum pitch and minimum lap. Minimum pitch and lap figures are absolute minimums.

	MARLEY ETERNIT	FORTICRETE
<b>Name:</b>	Acme (Machine Made)	Traditional Handcrafted Range
<b>Size (mm):</b>	265 x 165	265 x 165
<b>Max Coverage (tiles/m<sup>2</sup>):</b>	60	60
<b>Min Lap (mm):</b>	65	65
<b>Min Pitch:</b>	35°	35°
<b>Battens 450/600*:</b>	38 x 25 / 38 x 25	38 x 25, 38 x 25
<b>Description:</b>	Double camber tiles in smooth and sandfaced finishes.	Handcrafted single cambered traditional clay tiles for new or renovation work.
<b>Name:</b>	Hawkins (Machine Made)	
<b>Size (mm):</b>	265 x 165	
<b>Max Coverage (tiles/m<sup>2</sup>):</b>	60	
<b>Min Lap (mm):</b>	65	
<b>Min Pitch:</b>	35°	
<b>Battens 450/600*:</b>	38 x 25 / 38 x 25	
<b>Description:</b>	Sand faced in a single camber. Ideal for refurbishments and new build.	
<b>Name:</b>	Ashdowne (Handcrafted)	
<b>Size (mm):</b>	265 x 165	
<b>Max Coverage (tiles/m<sup>2</sup>):</b>	60	
<b>Min Lap (mm):</b>	65	
<b>Min Pitch:</b>	35°	
<b>Battens 450/600*:</b>	38 x 25 / 38 x 25	
<b>Description:</b>	Granular texture and slight random irregularities make each tile unique.	
<b>Name:</b>		
<b>Size (mm):</b>		
<b>Max Coverage (tiles/m<sup>2</sup>):</b>		
<b>Min Lap (mm):</b>		
<b>Min Pitch:</b>		
<b>Battens 450/600*:</b>		
<b>Description:</b>		
<b>Name:</b>		
<b>Size (mm):</b>		
<b>Max Coverage (tiles/m<sup>2</sup>):</b>		
<b>Min Lap (mm):</b>		
<b>Min Pitch:</b>		
<b>Battens 450/600*:</b>		
<b>Description:</b>		

\*centres (mm)



# Pitched Roofing

## KEYMER

## LAFARGE REDLAND RANGE

## SANDTOFT ROOF TILES

<p><b>Traditional Handmade</b> 265 x 165</p>  <p>60 at max lap ?????? 40° 38 x 25/38 x 25 High quality Wealden Clay tiles.</p>	<p><b>Rosemary Clay Classic</b> 265 x 165</p>  <p>60 65 below 90°, 35 at 90° 35° 38 x 25 / 38 x 25 Finest machine made clay tiles in single or double camber.</p>	<p><b>20/20 (Interlocking)</b> 370 x 223</p>  <p>20 96 22.5° 38 x 25 / 50 x 25 More cost effective than even a concrete tile.</p>
<p><b>Shire Handmade</b> 265 x 165</p>  <p>60 at max lap ?????? 40° 38 x 25/38 x 25 Value for money alternative to the Traditional range Restoration Peg Tile.</p>	<p><b>Rosemary Clay Craftsman</b> 265 x 165</p>  <p>60 65 below 90°, 35 at 90° 35° 38 x 25 / 38 x 25 Hand crafted clay tiles in warm, rustic colours and natural textures.</p>	<p><b>Humber Plain Tile</b> 265 x 165</p>  <p>60 65 35° 38 x 25 / 38 x 25 Cross-cambered and ideal for vertical cladding.</p>
<p><b>Restoration Peg Tile</b> 250 x 150</p>  <p>70 65 40° 38 x 25/38 x 25 Restoration Peg - A hand made peg tile with the aged look of old weathered peg tiles but with the knowledge of their origin.</p>		<p><b>Goxhill Plain Tile (Handmade)</b> 265 x 165</p>  <p>60 ?????? 40° 38 x 25 / 38 x 25 Each tile is unique. Often used on traditional homes and barn conversions. Popular with self-builders.</p>
<p><b>County Peg Tile</b> 250 x 150</p>  <p>70 65 40° 38 x 25/38 x 25 County Peg - An innovative peg tile with a traditional look but with 3 nail holes and one nib for easier fitting.</p>		<p><b>Cassius</b> 410 x 325 10 75</p>  <p><b>LARGE FORMAT</b> 38 x 25, 50 x 25 Flat interlocking clay tile that dramatically cuts the cost of a natural clay roof</p>
<p><b>Kent Peg Tile</b> 250 x 150</p>  <p>70 65 40° 38 x 25/38 x 25 Kent Peg - Hand made peg tile using traditional methods and materials used for over 400 years.</p>		







## Clay Plain Tiles: Fittings & Accessories

Fittings & Accessories	Marley Eternit			Forticrete
	<i>Acme (Plain)</i>	<i>Hawkins</i>	<i>Ashtowne</i>	<i>Traditional</i>
Eaves Tile	✓	✓	✓	✓
Bedded Verge	✓	✓	✓	✓
Cloaked Verge	✓	✓	✓	
Side/Top Abutments	✓	✓	✓	
Bedded Ridge	✓	✓	✓	✓
Bedded Hip	✓	✓	✓	✓
Mitred Hip	✓	✓	✓	✓
Valley Tiles	✓	✓	✓	✓
Ventilation Terminals	✓	✓	✓	✓
Dry Verge	✓	✓	✓	✓
Dry Ridge	✓	✓	✓	✓
Dry Hip	imminent	imminent	imminent	✓
Dry Valley	✓	✓	✓	
Concealed Ventilators	✓	✓	✓	
Eaves Ventilators	✓	✓	✓	✓
Abutment Ventilators	✓	✓	✓	✓
Ridge Ventilators	✓	✓	✓	✓
Gas Vent Ridge Terminals	✓	✓	✓	
Own Range of Breather Membranes?				
Batten: 450mm	25 x 38	25 x 38	25 x 38	25 x 38
600mm	25 x 38	25 x 38	25 x 38	25 x 50








Pitched Roofing










Keymer Clay Tiles					Lafarge Redland Range	Sandtoft Roof Tiles			
<i>Traditional</i>	<i>Shire Handmade</i>	<i>Restoration Peg Tile</i>	<i>County Peg Tile</i>	<i>Kent Peg Tile</i>		<i>Rosemary Clay Classic/Craftsman</i>	<i>20/20</i>	<i>Humber</i>	<i>Goxhill</i>
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
					✓	✓	✓	✓	
						✓	✓		
					✓	✓	✓	✓	
✓	✓	✓	✓	✓	✓	✓	✓	✓	
✓	✓	✓	✓	✓	✓	✓	✓	✓	
					✓				
✓	✓	✓	✓	✓	✓		✓	✓	
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
					✓	✓	✓	✓	✓
						✓	✓	✓	✓
					✓				
✓	✓				✓	✓	✓	✓	✓
					✓	✓	✓	✓	
					✓	✓	✓	✓	
✓	✓				✓	✓	✓	✓	
						✓	✓	✓	
					✓				
25 x 38	25 x 38	25 x 38	25 x 38	25 x 38		25 x 38	25 x 38	25 x 38	25 x 38
25 x 50	25 x 50	25 x 50	25 x 50	25 x 50	25 x 38	25 x 38	25 x 38	25 x 38	25 x 50

# Clay Plain Tiles: Colour Charts

Forticrete		Traditional
	Ewhurst Antique	✓
	Ewhurst Multi	✓
	Staffordshire Blue	✓
	Victorian	✓










Lafarge		Rosemary Clay	Rosemary Clay Craftsman
	72 Bracken Blend	✓	
	80 Red	✓	
	81 Light Mixed Brindle	✓	
	82 Medium Mixed Brindle	✓	
	89 Hawkhurst		✓
	91 Burnt Blend	✓	
	94 Russet Mix	✓	

Keymer		Traditional Shire	Restoration County	Kent
	Antique	✓		
	Elizabethan	✓		
	Wealden Red	✓		
	Heritage		✓	
	Priory		✓	
	Downs Red		✓	
	Restoration Peg		✓	
	Weathered County Peg			✓
	Antique Kent			✓



Pitched Roofing

Marley Eternit		Acme	Hawkins	Ashdowne
	001 Red Smooth	✓		
	002 Smooth Brindle	✓		
	004 Heather Sandfaced	✓		
	006 Farmhouse Brown Sandfaced	✓		
	009 Dark Brindle	✓		
	010 Century	✓		
	013 Burnt Flame	✓		
	031 Natural Orange	✓		
	032 Antique	✓		
	107 Chelwood			✓
	108 Melford			✓
	113 Ashurst			
	121 Aylesham			✓
	122 Aylesham Mix			✓
	143 Dark Oakwood			✓
	144 Wessex Blend			
	401 Red Blend			✓
	402 Dark Heather			✓
	403 Staffordshire Mixture			✓
	404 Brown Heather			✓
	405 Heather Mixture			✓
	406 Staffordshire Blue			✓

Sandtoft		20/20	Humber	Goxhill	Cassius
	Natural Red	✓	✓		✓
	Flanders	✓	✓		
	Tuscan	✓	✓		✓
	Antique	✓	✓		✓
	Dark Red				✓
	Dark Chestnut				✓
	Light Red				✓
	Autumn Brown				✓



## Clay Profiled Tiles

### MARLEY ETERNIT

### SANDTOFT ROOF TILES

This table identifies the vast range of Profiled Clay Tiles, usually available from stock.

It is not always advised to lay tiles at the minimum pitch and minimum lap. Minimum pitch and lap figures are absolute minimums.

\*centres (cm)


<p><b>Name:</b> Sandringham (Interlocking Pantile)  <b>Size (mm):</b> 395 x 325  <b>Coverage (tiles/m<sup>2</sup>):</b> 10m  <b>Min Lap (mm):</b> 65  <b>Min Pitch:</b> 22°  <b>Battens 450/600*:</b> 38 x 25  <b>Description:</b> Interlocking large format and a variety of colours, including glazed.</p> 	<p><b>County Pantile (Interlocking)</b>  <b>Size (mm):</b> 384 x 267mm  <b>Coverage (tiles/m<sup>2</sup>):</b> 14.9m<sup>2</sup>  <b>Min Lap (mm):</b> 58mm  <b>Min Pitch:</b> 22.5°  <b>Battens 450/600*:</b> 38 x 25  <b>Description:</b> Combines the aesthetics of a traditional pantile with modern interlocking tile design.</p> 
<p><b>Name:</b>  <b>Size (mm):</b>  <b>Coverage (tiles/m<sup>2</sup>):</b>  <b>Min Lap (mm):</b>  <b>Min Pitch:</b>  <b>Battens 450/600*:</b>  <b>Description:</b></p>	<p><b>Old English Pantile</b>  <b>Size (mm):</b> 342 x 252mm  <b>Coverage (tiles/m<sup>2</sup>):</b> 17.5m<sup>2</sup>  <b>Min Lap (mm):</b> 72mm  <b>Min Pitch:</b> 30°  <b>Battens 450/600*:</b> 38 x 25  <b>Description:</b> A traditional English pantile.</p> 
<p><b>Name:</b>  <b>Size (mm):</b>  <b>Coverage (tiles/m<sup>2</sup>):</b>  <b>Min Lap (mm):</b>  <b>Min Pitch:</b>  <b>Battens 450/600*:</b>  <b>Description:</b></p>	<p><b>Greenwood Pantile (Handmade)</b>  <b>Size (mm):</b> 342 x 253mm  <b>Coverage (tiles/m<sup>2</sup>):</b> 17m<sup>2</sup>  <b>Min Lap (mm):</b> 75mm  <b>Min Pitch:</b> 30°  <b>Battens 450/600*:</b> 38 x 25  <b>Description:</b> Hand made by traditional methods. Weathers to a mature appearance. Perfect for conservation projects.</p> 
<p><b>Name:</b>  <b>Size (mm):</b>  <b>Coverage (tiles/m<sup>2</sup>):</b>  <b>Min Lap (mm):</b>  <b>Min Pitch:</b>  <b>Battens 450/600*:</b>  <b>Description:</b></p>	<p><b>Bridgwater Double Roman</b>  <b>Size (mm):</b> 420 x 340mm  <b>Coverage (tiles/m<sup>2</sup>):</b> 9.5m<sup>2</sup>  <b>Min Lap (mm):</b> 75mm  <b>Min Pitch:</b> 30°  <b>Battens 450/600*:</b> 38 x 25  <b>Description:</b> Brought back into production after 50 years. Developed in answer to local needs in Somerset and Dorset.</p> 
<p><b>Name:</b>  <b>Size (mm):</b>  <b>Coverage (tiles/m<sup>2</sup>):</b>  <b>Min Lap (mm):</b>  <b>Min Pitch:</b>  <b>Battens 450/600*:</b>  <b>Description:</b></p>	<p><b>Gaelic</b>  <b>Size (mm):</b> 342 x 255  <b>Coverage (tiles/m<sup>2</sup>):</b> 16.8m<sup>2</sup>  <b>Min Lap (mm):</b> 75mm  <b>Min Pitch:</b> 30°  <b>Battens 450/600*:</b> 38 x 25  <b>Description:</b> Small format single Roman clay tile with a large flat pan and delicate single roll. Ideal for refurbishment or new build work in conservation areas.</p> 
<p><b>Name:</b>  <b>Size (mm):</b>  <b>Coverage (tiles/m<sup>2</sup>):</b>  <b>Min Lap (mm):</b>  <b>Min Pitch:</b>  <b>Battens 450/600*:</b>  <b>Description:</b></p>	<p><b>Arcadia Pantile</b>  <b>Size (mm):</b> 342 x 252mm  <b>Coverage (tiles/m<sup>2</sup>):</b> 17.5m<sup>2</sup>  <b>Min Lap (mm):</b> 72mm  <b>Min Pitch:</b> 30°  <b>Battens 450/600*:</b> 38 x 25  <b>Description:</b> Ready weathered giving the benefits of reclaimed tiles and none of the drawbacks. Ideal for barn conversions or to compliment reclaimed brick.</p> 
<p><b>Name:</b>  <b>Size (mm):</b>  <b>Coverage (tiles/m<sup>2</sup>):</b>  <b>Min Lap (mm):</b>  <b>Min Pitch:</b>  <b>Battens 450/600*:</b>  <b>Description:</b></p>	<p><b>LARGE FORMAT</b>  <b>Olympus Pantile</b>  <b>Size (mm):</b> 406 x 325  <b>Coverage (tiles/m<sup>2</sup>):</b> 10  <b>Min Lap (mm):</b> 75  <b>Min Pitch:</b> 22.5°  <b>Battens 450/600*:</b> 38 x 25, 50 x 25  <b>Description:</b> The largest and most cost effective profiled clay tile ever launched in the UK. Easy to lay open gauge design.</p> 
<p><b>Name:</b>  <b>Size (mm):</b>  <b>Coverage (tiles/m<sup>2</sup>):</b>  <b>Min Lap (mm):</b>  <b>Min Pitch:</b>  <b>Battens 450/600*:</b>  <b>Description:</b></p>	<p><b>LARGE FORMAT</b>  <b>Neo Pantile</b>  <b>Size (mm):</b> 384 x 250  <b>Coverage (tiles/m<sup>2</sup>):</b> 14.7  <b>Min Lap (mm):</b> 75  <b>Min Pitch:</b> 22.5°  <b>Battens 450/600*:</b> 38 x 25, 50 x 25  <b>Description:</b> A new generation clay pantile that offers the fixing and associated cost advantages of a concrete tile, with the kerb appeal and character of natural clay.</p> 
<b>LAFARGE REDLAND RANGE</b>	
<p><b>Name:</b> Cathedral Clay Pantile  <b>Size (mm):</b> 411 x 265  <b>Coverage (tiles/m<sup>2</sup>):</b> 12.2  <b>Min Lap (mm):</b> 46  <b>Min Pitch:</b> 22.5°  <b>Battens 450/600*:</b> 38 x 25, 50 x 25  <b>Description:</b> Natural Clay interlocking pantile</p> 	

Pitched Roofing

Clay Profiled Tiles: Fittings & Accessories

Fittings & Accessories	Marley Eternit	Lafarge Redland Range	Sandtoft Roof Tiles							
	Sandringham	Cathedral Clay Pantile	County Pantile	Old English Pantile	Arcadia Pantile	Greenwood Pantile	Bridgewater Double Roman	Gaelic	Olympus Pantile	Neo Pantile
Eaves Tile	✓		✓	✓	✓	✓	✓	✓		
Bedded Verge	✓	✓	✓		✓	✓	✓	✓		
Cloaked Verge	✓	✓	✓							
Side/Top Abutments	✓				✓	✓	✓	✓		
Bedded Ridge	✓	✓	✓	✓	✓	✓	✓	✓		
Bedded Hip	✓	✓	✓	✓	✓	✓	✓	✓		
Mitred Hip			✓			✓				
Valley Tiles										
Ventilation Terminals	✓	✓	✓	✓	✓	✓	✓	✓		
Dry Verge	✓	✓	✓							
Dry Ridge	✓	✓	✓							
Dry Hip		✓								
Dry Valley		✓								
Concealed Ventilators	✓	✓		✓	✓	✓	✓	✓		
Eaves Ventilators	✓	✓	✓	✓	✓	✓	✓	✓		
Abutment Ventilators	✓		✓		✓	✓	✓	✓		
Ridge Ventilators	✓	✓	✓	✓	✓	✓	✓	✓		
Gas Vent Ridge Terminals		✓	✓	✓	✓	✓	✓	✓		
Own Range of Breather Membranes?		✓								
Batten: 450mm	25 x 38	25 x 38	25 x 38	25 x 38	25 x 38	25 x 38	25 x 38	25 x 38	25 x 38	25 x 38
600mm	25 x 50	25 x 50	25 x 50	25 x 50	25 x 50	25 x 50	25 x 50	25 x 50	25 x 50	25 x 50






## Clay Profiled Tiles: Colour Charts

### Marley Eternit

*Sandringham*

	Burnished Red	✓
	Terracotta Red	✓
	Anthracite	✓
	Golden Ochre	✓
	Chestnut	✓
	Terracotta Crystal*	✓
	Forest Green*	✓
	Royal Blue*	✓



### Lafarge Redland Range

*Cathedral Clay Pantile*


	Cathedral 79	✓
	Cathedral 80	✓



### Sandtoft

*County Old English Arcadia Greenwood Bridgewater Gaelic Olympus Neo Pantile*

	Natural Red	✓	✓		✓	✓	✓	✓
	Flanders	✓	✓					✓
	Tuscan	✓						✓
	Antique	✓	✓					
	Somerset					✓		
	Etruscan				✓			
	Reclaimed		✓					



Pitched Roofing

Ornamental Plain Tiles

Concrete

Fittings And Accessories

	Forticrete	Lafarge Rredland Range	Marley Roofing	Russell Roof Tiles	Sandtoft Roof Tiles
Bullnose	✓		✓	✓	
Club		✓			✓
Arrowhead	✓	✓	✓		
Fishtail					



Clay

Fittings And Accessories

	Daniel Platt	Eternit Building Materials	Forticrete	Keymer Handmade Clay Tiles	Lafarge Rredland Range	Sandtoft Roof Tiles
Bullnose	✓	✓	✓	✓	✓	✓
Club	✓	✓		✓	✓	✓
Arrowhead	✓		✓		✓	✓
Fishtail	✓	✓		✓	✓	✓
Hexagon		✓				
Diamond				✓		
Point				✓		

