




Pitched Roofing





Concrete Profiled Tiles

CEMEX ROOF TILES


FORTICRETE

This table identifies the vast range of concrete profiled interlocking tiles, usually available from stock. Tiles are arranged in comparative styles (as close as possible) for easy cross-referencing, but should not be considered interchangeable.

<p>Name:</p> <p>Size (mm):</p> <p>Coverage (tiles/m²):</p> <p>Min Lap (mm):</p> <p>Min Pitch Smooth:</p> <p>Min Pitch Granular:</p> <p>Battens 450/600*:</p> <p>Description:</p>		<p>V2</p> <p>385 x 229</p> <p>16.1</p> <p>75</p> <p>17.5°</p> <p>n/a</p> <p>25 x 38</p> <p>Proven in tests to be the strongest tile of its type now available.</p>		
<p>Name:</p> <p>Size (mm):</p> <p>Coverage (tiles/m²):</p> <p>Min Lap (mm):</p> <p>Min Pitch Smooth:</p> <p>Min Pitch Granular:</p> <p>Battens 450/600*:</p> <p>Description:</p>		<p>Centurion</p> <p>385 x 230</p> <p>17.5</p> <p>100</p> <p>12.5°, 10° in special circumstances tel 0800 262136</p> <p>25 x 38</p> <p>Purpose-designed to perform even in the worst of the British climate. The only roof tile available that can be laid at a 10° pitch.</p>		
<p>Name:</p> <p>Size (mm):</p> <p>Coverage (tiles/m²):</p> <p>Min Lap (mm):</p> <p>Min Pitch Smooth:</p> <p>Min Pitch Granular:</p> <p>Battens 450/600*:</p> <p>Description:</p>	<p>Cheviot</p> <p>418 x 330</p> <p>298</p> <p>75</p> <p>25°</p> <p>30°</p> <p>25 x 38 / 25 x 50</p> <p>Standard profiled roof tile that has a trapezoid shaped roll</p>		<p>Senator</p> <p>385 x 230</p> <p>16.1</p> <p>22.5</p> <p>22.5°</p> <p>n/a</p> <p>25 x 38</p> <p>Offers the same smooth roofing profile as the Centurion, but without the technological advantage for pitches from 22.5°.</p>	
<p>Name:</p> <p>Size (mm):</p> <p>Coverage (tiles/m²):</p> <p>Min Lap (mm):</p> <p>Min Pitch Smooth:</p> <p>Min Pitch Granular:</p> <p>Battens 450/600*:</p> <p>Description:</p>	<p>Pennine</p> <p>418 x 330</p> <p>298</p> <p>75</p> <p>2.5°</p> <p>30°</p> <p>25 x 38 / 25 x 50</p> <p>Standard profile roof tile with a 'soft' roll</p>			
<p>Name:</p> <p>Size (mm):</p> <p>Coverage (tiles/m²):</p> <p>Min Lap (mm):</p> <p>Min Pitch Smooth:</p> <p>Min Pitch Granular:</p> <p>Battens 450/600*:</p> <p>Description:</p>	<p>Double Roman</p> <p>418 x 330</p> <p>298</p> <p>75</p> <p>22.5°</p> <p>30°</p> <p>25 x 38 / 25 x 50</p> <p>Standard profiled roof tile with a small round roll</p>			
<p>Name:</p> <p>Size (mm):</p> <p>Coverage (tiles/m²):</p> <p>Min Lap (mm):</p> <p>Min Pitch Smooth:</p> <p>Min Pitch Granular:</p> <p>Battens 450/600*:</p> <p>Description:</p>	<p>Derwent</p> <p>420 x 334</p> <p>300</p> <p>75</p> <p>17.5°</p> <p>30°</p> <p>25 x 38 / 25 x 50</p> <p>A standard profiled roof tile that has a larger round roll</p>			
<p>Name:</p> <p>Size (mm):</p> <p>Coverage (tiles/m²):</p> <p>Min Lap (mm):</p> <p>Min Pitch Smooth:</p> <p>Min Pitch Granular:</p> <p>Battens 450/600*:</p> <p>Description:</p>	<p>Argyll</p> <p>418 x 330</p> <p>298</p> <p>75</p> <p>15°</p> <p>30°</p> <p>25 x 38 / 25 x 50</p> <p>A flat roof tile with a single 'roll' to give a slight undulation to the roof and specifically used for low roof pitches down to 15°.</p>			
<p>Name:</p> <p>Size (mm):</p> <p>Coverage (tiles/m²):</p> <p>Min Lap (mm):</p> <p>Min Pitch Smooth:</p> <p>Min Pitch Granular:</p> <p>Battens 450/600*:</p> <p>Description:</p>				

It is not always advised to lay tiles at the minimum pitch and minimum lap. Minimum pitch and lap figures are absolute minimums.

*centres (cm)



Pitched Roofing

LAFARGE REDLAND RANGE

MARLEY ETERNIT

SANDTOFT ROOF TILES

<p>49 Tile 382 x 226 17.8 75 17.5° 22.5° 25 x 38 / 25 x 50 Small, low profile tile with unique camber.</p> 	<p>Ludlow Plus 387 x 229 17.1 75 25° 30° 25 x 38 / 25 x 50 Ideal for refurbishment where it's size reduces wastage and is easier to handle.</p> 	<p>Standard Pattern 380 x 230 16.5 75 22.5° 30° 25 x 38 / 25 x 50 Medium format with a similar profile to the Lindum, and used primarily for renovations.</p> 
<p>Norfolk Pantile 381 x 227 17.8 75 17.5° 25 x 38 / 25 x 50 Classic Single Pantile shape.</p> 	<p>Anglia Plus 387 x 230 17.1 75 25° 30° 25 x 38 / 25 x 50 A single lap interlocking concrete tile with the profile of the age-old clay pantile.</p> 	<p>Shire Pantile 380 x 230 16.5 75 22.5° 30° 25 x 38 / 25 x 50 Interlocking concrete pantile that offers the look of a traditional pantile.</p> 
<p>Renown 418 x 330 10.5 75 17.5° 22.5° 25 x 38 / 25 x 50 Low profile tile with strong lines. Designed to blend unobtrusively into any environment</p> 	<p>Ludlow Major 420 x 330 10.6 75 22.5° 30° 25 x 38 / 25 x 50 Functional, general purpose, single lap interlocking tile.</p> 	<p>Lindum 420 x 334 9.70 75 22.5° 30° 25 x 38 / 25 x 50 Interlocking concrete tile that provides a classic low profile roof. Available in a choice of 9 colours and textures</p> 
<p>Grovebury 418 x 332 300 (of 1 linear tile) 75 15° 22.5° 25 x 38 / 25 x 50 Double pantile appearance. Quicker and easier to lay than single pantiles.</p> 	<p>Mendip 420 x 330 10.5 75 22.5° 25° 25 x 38 / 25 x 50 Double pantile design with exceptional strength.</p> 	<p>Double Pantile 420 x 334 9.70 75 17.5° 30° 25 x 38 / 25 x 50 Interlocking double pantile, one of the most popular and economical roof coverings.</p> 
<p>50 Double Roman 418 x 330 10.5 75 17.5° 22.5° 25 x 38 / 25 x 50 Distinctive Roman profile available in a wide range of colours.</p> 	<p>Double Roman 420 x 330 10.4 75 22.5° 30° 25 x 38 / 25 x 50 A modern version of the roll profile seen throughout Europe for over 2000 years.</p> 	<p>Double Roman 420 x 334 9.70 75 17.5° 30° 25 x 38 / 25 x 50 An interlocking Double Roman tile, and one of the most economical forms of roof tiling.</p> 
<p>Landmark Double Pantile 418 x 332 10.5 75 15° n/a 25 x 38 / 25 x 50 Rich long lasting clay colours on a traditional profile.</p> 	<p>Malvern 420 x 330 10.6 75 15° n/a 25 x 38 / 25 x 50 Deep, Spanish roll profile creating a strong contrast between light and shade.</p> 	
<p>Landmark Double Roman 418 x 330 9.7 75 17.5° 25 x 38 / 25 x 50 Rich, long lasting clay colours on a Double Roman profile</p> 	<p>Bold Roll 420 x 330 10.4 75 17.5° n/a 25 x 38 / 25 x 50 Designed to shed water efficiently at pitches down to 15°.</p> 	<p>Bold Roll 420 x 334 9.70 75 22.5° 25 x 38 / 25 x 50 A deep rolled interlocking profile that gives the roof a strongly undulating surface.</p> 
<p>Regent 418 x 332 10.5 7 12.5° 22.5° 25 x 38 / 25 x 50 Traditionally shaped, providing a striking, bold effect. Choice of through coloured or granular finishes.</p> 	<p>Wessex 420 x 330 10.4 75 15° n/a 25 x 38 / 25 x 50 Lightweight and sturdy, with a thin leading edge and symmetrical profile.</p> 	

Concrete Profiled Tiles: Fittings & Accessories






Fittings & Accessories	Forticrete Roofing Products			Lafarge Redland Range							
	V2	Centurion	Senator	49 Tile	Norfolk Pantile	Renown	Grovebury	50 Double Roman	Landmark Double Roman	Landmark Double Pantile	Regent
Eaves Tile											
Bedded Verge	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Cloaked Verge						✓	✓	✓	✓	✓	✓
Side/Top Abutments	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Bedded Ridge	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Bedded Hip	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Mitred Hip											
Valley Tiles											
Ventilation Terminals	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Dry Verge	✓	✓	✓			✓	✓	✓	✓	✓	✓
Dry Ridge	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Dry Hip				✓	✓	✓	✓	✓	✓	✓	✓
Dry Valley											
Concealed Ventilators						✓	✓	✓	✓	✓	✓
Eaves Ventilators	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Abutment Ventilators	✓	✓	✓		✓	✓	✓	✓	✓	✓	✓
Ridge Ventilators	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Gas Vent Ridge Terminals	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Own Range of Breather Membranes?				✓	✓	✓	✓	✓	✓	✓	✓
Batten: 450mm	25x38	25x38	25x38	25x38	25x38	25x38	25x38	25x38	25x38	25x38	25x38
600mm	25x50	25x50	25x50	25x50	25x50	25x50	25x50	25x50	25x50	25x50	25x50



Concrete Profiled Tiles: Colour Charts

Cemex Roof Tiles		Cheviot	Pennine	Double Roman	Derwent	Argyle
	Slate Grey	✓	✓	✓	✓	✓
	Cottage Red	✓	✓	✓	✓	✓
	Peat Brown	✓	✓	✓	✓	✓
	Rustic Peat	✓	✓	✓	✓	
	Burnt Orange		✓	✓	✓	
	Tudor Burnt Black	✓	✓	✓	✓	✓
	Terracotta Red	✓	✓	✓	✓	✓
	Peat Red		✓	✓	✓	
	Antique Brown	✓	✓	✓		
	Antique Red	✓	✓	✓		
	Anthracite		✓	✓		

Lafarge Redland Range		Landmark Double Pantile	Landmark Double Pantile	Grovebury	50 Double Roman	Regent	Renown	Norfolk Pantile	49 Tile
	02 Brown			✓	✓	✓	✓		✓
	03 Antique Red			✓	✓	✓	✓		✓
	12 Cotswold				✓		✓		
	30 Slate Grey			✓	✓	✓	✓	✓	✓
	34 Terracotta			✓	✓	✓	✓	✓	✓
	36 Tudor Brown	✓	✓	✓	✓	✓	✓		
	39 Farmhouse Red			✓	✓	✓	✓	✓	✓
	42 Rich Terracotta	✓							
	43 Terracotta Brindle	✓	✓						
	44 Brown Brindle	✓	✓						
	52 Breckland Brown			✓	✓	✓	✓	✓	✓
	53 Breckland Black			✓	✓	✓		✓	
	78 Rustic Red					✓	✓		✓

Forticrete		Senator	Centurion	V2
	Autumn	✓	✓	✓
	Brown	✓	✓	✓
	Red	✓	✓	✓
	Rustic	✓	✓	✓
	Slate Grey	✓	✓	✓




Pitched Roofing

Marley Eternit

	Ludlow Major	Ludlow Plus	Anglia Plus	Mendip	Malvern	Double Roman	Bold Roll	Wessex
 15 Smooth Red - smooth			✓	✓	✓	✓	✓	
 20 Antique Brown - granular	✓	✓	✓	✓		✓		
 21 Rustic Black - smooth			✓					
 22 Greystone - granular	✓	✓	✓			✓		
 24 Heritage Burnt Red - fine sanded finish			✓	✓				
 26 Dark Red - granular	✓	✓	✓	✓		✓		
 28 Smooth Grey - smooth	✓	✓	✓	✓	✓	✓	✓	✓
 38 Anthracite - smooth			✓	✓				
 39 Mosborough Red - smooth	✓	✓	✓	✓		✓	✓	✓
 41 Pewter Red - smooth				✓				
 48 Acorn Brown - smooth			✓	✓		✓	✓	
 49 Rustic Grey - smooth				✓		✓		
 52 Smooth Brown - smooth	✓	✓	✓	✓	✓	✓	✓	✓
 71 Brindle Weald - granular				✓				
 77 Old English Orange - smooth			✓	✓		✓		
 80 Old English Dark Red - smooth	✓	✓	✓	✓	✓	✓	✓	✓

Sandtoft

	Bold Roll	Double Pantile	Double Roman	Lindum	Standard Pattern	Shire Pantile
Smoothfaced:						
 Brown	✓	✓	✓	✓	✓	✓
 Charcoal	✓	✓	✓	✓	✓	✓
 Dark Grey	✓	✓	✓	✓	✓	✓
 Dark Heather	✓	✓	✓	✓	✓	✓
 Light Grey	✓	✓	✓	✓	✓	✓
 Rustic	✓	✓	✓	✓	✓	✓
 Terracotta Red	✓	✓	✓	✓	✓	✓
Sandfaced:						
 Antique No. 2		✓	✓	✓	✓	✓
 Mottled Red		✓	✓	✓	✓	✓
 Cornish Grey		✓	✓	✓	✓	
 Brindle		✓	✓			









Concrete Plain Tiles

CEMEX ROOF TILES

FORTICRETE

This table identifies the vast range of Concrete Plain Tiles, usually available from stock.

It is not always advised to lay tiles at the minimum pitch and minimum lap. Minimum pitch and lap figures are absolute minimums.

<p>Name: Plain Tile Size (mm): 267 x 165 Coverage (tiles/m²): 60 Min Lap (mm): 65 Min Pitch: 35° Battens 450/600*: 25 x 38 Description: Available in ten smooth finish colours and four granular finish colours.</p>		<p>Name: Plain Tile Size (mm): 268 x 165 Coverage (tiles/m²): 60 Min Lap (mm): 65 Min Pitch: 35° Battens 450/600*: 38x25 Description: Manufactured in through-coloured concrete</p>	
<p>Name: Lothian Size (mm): 419 x 330 Coverage (tiles/m²): 10.5 Min Lap (mm): 100 Min Pitch: 22.5° Battens 450/600*: 25 x 50 Description: Thin leading edge tile with mock bond</p>			
<p>Name: Highland Size (mm): 418 x 330 Coverage (tiles/m²): 9.9 Min Lap (mm): 75 Min Pitch: 17.5° (smooth) Battens 450/600*: 25 x 50 Description: Interlocking tile with mock bond</p>			
<p>Name: Grampian Size (mm): 418 x 330 Coverage (tiles/m²): 9.9 Min Lap (mm): 75 Min Pitch: 17.5° (smooth) Battens 450/600*: 25 x 50 Description: Flat Interlocking Tile</p>			
<p>Name: Galloway Size (mm): 419 x 330 Coverage (tiles/m²): 10.5 Min Lap (mm): 100 Min Pitch: 22.5° Battens 450/600*: 25 x 50 Description: Thin leading edge interlocking tile</p>		<p>Name: Gemini Size (mm): 330 x 270 Coverage (tiles/m²): 16.3 Min Lap (mm): 75 Min Pitch: 22.5° Battens 450/600*: 25 x 35 / 25 x 50 Description: An interlocking tile that gives true plintile appearance of two traditional plain tiles side by side when laid.</p>	

*centres




Pitched Roofing

LAFARGE REDLAND RANGE

MARLEY ETERNIT

SANDTOFT ROOF TILES

<p>Plain Tile 268 x 165 60 65 35° 38 x 25 Cross cambered traditional plain tile.</p> 	<p>Plain Tile 267 x 168 60 65 35° 38 x 25 Cross cambered design. Ideal for details like dormers, eyebrows and conical roofs</p> 	<p>Plain Tile 265 x 165 60 65 35° 25 x 38 This versatile, cross-cambered concrete tile is an alternative to the traditional clay plain tile.</p> 
<p>Downland 265 x 165 60 65 35° 25 x 38 Cross cambered with soft deckled leading edge and textured sanded surface.</p> 	<p>Thaxden 270 x 168 60 70 35° 38 x 25 Textured surface and uneven leading edge, to soften appearance of roofscape.</p> 	
<p>Heathland 265 x 165 60 65 35° 38 x 25 Uneven leading edge, irregular sides and textured sanded surface.</p> 	<p>Marlden 267 x 168 60 65 35° 38 x 25 Irregular shape and uneven sand-faced surface creates a rustic finish</p> 	
	<p>Heritage 267 x 168 60 65 35° 25 x 38 Designed to emulate machine made clay tiles.</p> 	
<p>DuoPlain 268 x 330 17.7 80 25° 25 x 38 Combines the look of a plain tile, with the cost savings and benefits of a large format interlocking tile.</p> 	<p>Ashmore 333 x 267 19 77 22.5° 25 x 38/50 x 25 Single lap, interlocking double plain tile</p> 	








Concrete Plain Tiles: Fittings & Accessories

Fittings & Accessories	Forticrete Roofing Products		Lafarge Redland Range			
	Gemini	Plain	Downland	Heathland	Plain Tile	DuoPlain
Eaves Tile		✓	✓	✓	✓	
Bedded Verge	✓	✓	✓	✓	✓	✓
Cloaked Verge						
Side/Top Abutments			✓	✓	✓	✓
Bedded Ridge	✓	✓	✓	✓	✓	✓
Bedded Hip	✓	✓	✓	✓	✓	✓
Mitred Hip	✓	✓	✓	✓	✓	
Valley Tiles		✓	✓	✓	✓	
Ventilation Terminals	✓	✓	✓	✓	✓	✓
Dry Verge	✓	✓				
Dry Ridge	✓	✓	✓	✓	✓	✓
Dry Hip	✓	✓				✓
Dry Valley			✓	✓	✓	✓
Concealed Ventilators	✓	✓	✓	✓	✓	✓
Eaves Ventilators	✓	✓	✓	✓	✓	✓
Abutment Ventilators	✓	✓	✓	✓	✓	✓
Ridge Ventilators	✓	✓	✓	✓	✓	✓
Gas Vent Ridge Terminals	✓	✓	✓	✓	✓	✓
Own Range of Breather Membranes?			✓	✓	✓	✓
Batten: 450mm						25x38
* 20-day lead time	600mm	25x50	25x50	25x50	25x50	25x50



Concrete Plain Tiles: Colour Charts

Forticrete		Gemini	Plaintile
	Autumn	✓	✓
	Brindle	✓	✓
	Brown	✓	✓
	Red	✓	✓
	Rustic	✓	✓
	Slate Grey	✓	✓
	Jacobean	✓	✓

Cemex Roof Tiles		Plain Tile	Grampian	Highland	Lothian	Galloway
	Slate Grey	✓				
	Cottage Red	✓				
	Peat Brown				✓	
	Rustic Peat	✓				
	Burnt Orange				✓	
	Tudor Black				✓	
	Terracotta Red	✓				
	Peat Red	✓				
	Antique Brown			✓		
	Antique Red				✓	
	Black				✓	
	Anthracite				✓	
	Cotswold		✓			
	Heritage Red				✓	✓
	Jacobean Blend				75% Black 20% R.Peat 5% C.Red	✓
	Edwardian Russet				75% R.Peat 20% Black 5% C.Red	✓

Lafarge Redland Range		Plain Tile	Downland	Heathland	DuoPlain
	02 Brown	✓			
	03 Antique Red	✓			
	11 Tuscan Red				✓
	12 Cotswold	✓			
	18 Hedgerow Brown		✓		
	20 Manor House Mix		✓		
	21 Woodland Brown		✓		
	23 Autumn			✓	
	24 Sunset			✓	
	25 Ember			✓	
	30 Slate Grey	✓			
	34 Terracotta	✓			
	36 Tudor Brown	✓			
	38 Flame Red				✓
	39 Farmhouse Red	✓			
	40 Rustic Brown				✓
	52 Breckland Brown	✓			
	53 Breckland Black	✓			
	77 Charcoal Grey				✓
	78 Rustic Red	✓			✓

Pitched Roofing

Marley Eternit

	Heritage	Thaxden	Marlden	Plain Tile	Ashmore
15 Smooth Red (S)				✓	
18 Heritage Natural Red (F)	✓				
20 Antique Brown (G)				✓	
22 Greystone (G)				✓	
23 Berkshire Red (F)	✓				
24 Heritage Burnt Red (F)	✓				
25 Marlden Burnt Brown (F)			✓		
26 Dark Red (G)				✓	
28 Smooth Grey (S)				✓	✓
30 Cotswold (G)				✓	
33 Thaxden Burnt Orange (G)		✓			
38 Anthracite (S)				✓	
39 Mosborough Red (S)				✓	✓
48 Acorn Brown (S)				✓	
49 Rustic Grey (S)				✓	
52 Smooth Brown (S)				✓	
62 Chestnut (S)/(CL)				✓	
63 Flame Red (S)/(CL)				✓	
64 Burnt Heather (S)/(CL)				✓	
71 Brindle Weald (G)			✓		
73 Thaxden Sienna (G)		✓			
74 Thaxden Ochre Blend (G)	✓				
80 Old English Dark Red (S)			✓	✓	
94 Marlden Brown (F)		✓			
95 Marlden Orange (F)		✓			

Sandtoft

	Plain Tile
Smoothfaced	
Light Grey	✓
Dark Grey	✓
Brown	✓
Terracotta Red	✓
Rustic	✓
Dark Heather	✓
Harvest	✓
Charcoal	✓
Sandfaced	
Antique No.2	✓
Mottled Red	✓
Cornish Grey	✓
Brindle	✓
Sandown	✓



Finishes:
 (G) Granular
 (S) Smooth
 (F) Fine sanded
 (CL) Manufactured using colour logic technology