



Always in stock
Always available



THE RIGHT PRODUCTS FOR THE JOB



Always in stock Always available

Our **Core Range** commitment is here to make sure you can get your hands on everyday roofing essentials and a wide range of specialist items **WHENEVER** you need them. All available from our nationwide network of branches so you can always get on the with the job in hand.

- Slates & Concrete Tiles
- Batten & Timber
- GRP
- Compounds & Solutions
- Insulation
- Liquid Waterproofing
- Torch on Felt
- Fibre Cement
- Underlays
- Lead & Lead Replacement
- Rainwater
- Nails & Fixings
- Roof Windows Flashings
- Tools & PPE

.... with many more specialist products available.



INTRODUCTION

Your time is important to us and we want to help take some of the pressure off. As the UK's largest specialist roofing merchant, with over 40,000 products in stock, we are ready and waiting with all the products you need - when and where you need them.

What's more, our friendly, local teams are always ready to share their passion for roofing, expertise, knowledge and impartial advice.

Our Core Range of products are available in every SIG Roofing branch throughout the UK. Use this catalogue to see all the products that make up our Core Range commitment. So, whether it's a simple refurb or a new roof SIG Roofing have got you covered for whatever you need to get the job done, first time.

We're here to help you with the right products for the job...

- Specialist in pitched, flat and industrial roofing
- Over 40,000 roofing products
- Supply roofing products from leading manufacturers
- Over 400 delivery vehicles ensuring reliable deliveries
- Sample and matching service
- Expert advice and support in branch and direct to you on-site
- Branches nationwide with roofing products always available and always in stock



The right products for the job

Contents

PITCHED ROOFING

Natural & Fibre Cement Slate	5
Concrete Tiles	6
Pitched Roof Underlay & Accessories	7 & 8
Bedding Mortar	9
Timber	10
Nails & Fixings	10
Lead & Lead Replacement	12 & 13
Roof Windows	13
Insulation	14

FLAT ROOFING

Liquid Waterproofing	17
Torch On Felt	19
Glass-reinforced plastic (GRP) Waterproofing	21
Repair Compounds & Solutions	24
Insulation	24

INDUSTRIAL ROOFING

Fibre Cement	26
--------------	----

ROOFLINE & RAINWATER

Fascia & Soffits - White	29
Gutters & Downpipes	30

SILICONES & SEALANTS

Silicones & Sealants	35
----------------------	----

GENERAL TOOLS & PPE

Tools	36
PPE	41

PITCHED ROOFING



From batten to coverings, supporting both new and traditional techniques our pitched roofing products selection brings you a range from leading manufacturers.

Coupled with our team members that have a rich depth of knowledge underpinning our entire Pitched Roofing product portfolio; you are guaranteed to find the expertise and stock availability you need to support your business.

- Insulation
- Fibre Cement Slate & Tiles
- Underlays
- Ventilation
- Nails
- Lead
- Lead Replacement
- Roof Windows
- Bedding Mortar
- Insulation
- Accessories
- Natural Slate
- Concrete Tiles

SIG ROOFING




ROOFING SLATE

Our branches will carry the Commercial Range as standard and either Specification or Classic Ranges - depending on local markets.

NATURAL SLATE

SPECIFICATION RANGE



A selection of high-quality first-selection slates, covering a broad range of colours and textures to fulfil almost any specification desired.

All Specification slates are W1($\leq 0,6\%$), T1, S1 to comply with NHBC requirements and have a 75 Year Warranty.


COMMERCIAL RANGE



Ideal for the refurbishment & the developer market, our Commercial Range is recommended for experienced slaters, as thickness and quality can be variable so sorting and grading is strongly recommended.

All slates are W1($\leq 0,6\%$) T1, S1 to comply with NHBC requirements and have a 30 Year Warranty.

CLASSIC RANGE



Our Classic slates require careful sorting and grading in order to produce a good roof. Ideal for budget conscious projects.

All slates are W1($\leq 0,6\%$) T1, S1 to comply with NHBC requirements and have a 30 Year Warranty.

FIBRE CEMENT SLATE

FIBRE CEMENT




Slates
Double Slates

600 x 300mm
600 x 600mm

Cost-effective, smooth, square edged fibre cement slates that are manufactured to the highest European standards.

CONCRETE TILES

FLAT GREY METRIC INTERLOCKING TILE



Flat Metric Interlocking (Grey)

A flat, smooth, single-lap interlocking design with a slate-like appearance.

RIDGE TILES

A wide range of grey Concrete Ridge Tiles. Ideal for use with Concrete Tiles, Fibre Cement and Natural Slate.



1/2 Round



Multi-Angle



1/3 Round

PITCHED ROOF UNDERLAY

AIR PERMEABLE



Underlay

50m x 1.0m (50m²) Blue

50m x 1.5m (75m²) Blue

Air open and vapour permeable “breathable” roofing underlays that allows water vapour to escape from the roof structure.

Our branches will hold at least one of the above.

VAPOUR PERMEABLE



Pitched Roof Underlay 122g

50 x 1m (50m²) Grey

Pitched Roof Underlay
(with Dual Integrated Tape)

50 x 1m (50m²) Grey

Pitched Roof Underlay 122g

50 x 1.5m (75m²) Grey

Pitched Roof Underlay
(with Dual Integrated Tape)

50 x 1.5m (75m²) Grey

A high performance breathable (vapour permeable) underlay for use in both vented and non-vented cold and warm pitched roofs.

Our branches will hold at least one of the above.

PITCHED ROOF ACCESSORIES



Baby Galvanised Hip Irons

Baby Galvanised Hip Irons can be easily fixed to a hip rafter to secure tiles in place and prevent them sliding off the roof.



Standard Galvanised Hip Irons

Standard Galvanised Hip Irons can be fixed to a hip rafter to secure tiles in place and prevent them sliding off the roof.



Eaves Filler Comb

1m

A simple and effective way of preventing birds and vermin from entering the batten cavity below profiled concrete interlocking tiles whilst allowing airflow into the batten cavity.




Dry Valley

Dry Valleys provide a robust, durable and lightweight alternative to lead and zinc valleys.



Dry Bonding Gutter


Effective means of weatherproofing the junction between two different coverings.



GRP Slate Valley (Grey)

330mm x 3m

A suitable alternative to lead, designed for use with natural slate.



GRP Tile Valley (Grey)


380mm x 3m

A suitable alternative to lead, designed for use with fibre cement slate and plain tiles.



In-Line Slate Vent (Grey)

Primarily used for roof space ventilation, they can also be used for soil ventilation or mechanical extraction.



In-Line Flat Vent (Grey)

Designed for ventilation of the roof space as well as conversion into a service terminal where required. The in-line design of this vent allows for it to blend naturally into the roof without any obtrusive hoods being left on show.



Slate Profile Adaptor

The adaptor is clipped onto the downpipe of a Slate Vent, ideally before installation.



Flexible Pipe

100/100mm

Flexible Pipe range provides an economical, quick and effective connection to standard 100mm (4") soil pipes and ventilation ducting systems.



Underlay Support Tray

310mm x 1.5m


A simple and effective product to prevent the exposure of the roofing underlay at the eaves, which can lead to long-term degradation of the underlay.



Universal Dry Fix Ridge and Hip System

6m

Suitable for most ridge and hip applications and comprises of: Ridge Roll, Ridge Batten Brackets, Ridge Unions with Union Clips, Stainless Steel Screws and Stainless Steel Clamping Plates - additional components may be required for hips.



Bonding Strip

225mm x 3m

Provides a watertight junction above the party wall between different roof finishes when re-roofing.



Undercloak

1220 x 150mm

Consistent in thickness, meaning the mortar does not crack over the joints when it dries out, and strong enough despite its slender appearance to cope with the rigours of the re-roof or new build project.



Flashing Strip

150mm x 10m

225mm x 10m

300mm x 10m

A self-adhesive bituminous sealing strip which bonds instantly to provide a permanent watertight seal.



Roof Tile Bedding Mortar

Bedding Mortar mix is a kiln dried, pre-blended, factory produced 1:3 cement/sand mortar complying with the requirements of BS EN 998-2.

TIMBER

PREMIUM GOLD BATTEN



Premium Gold

25 x 50mm

25 x 38mm

Premium Gold is the highest grade of roofing batten, incorporating a unique and distinctive gold colouration that offers full quality transparency. Fully graded to comply with BS 5534:2014+A1:2015.

SAWN AND TREATED SOFTWOOD



19 x 38mm

25 x 38mm

25 x 50mm

50 x 50mm

47 x 100mm

Available in various lengths ranging from 3m up to 5.4m, in 300mm increments.

NAILS & FIXINGS

GALVANISED FELT



ELH Felt

20 x 3.00mm 1kg

30 x 3.00mm 1kg

Extra large head nails for installation of roofing felts.

GALVANISED



Round Wire

100 x 4.0mm 1kg

65 x 3.35mm 1kg

Most suitable for soft materials such as plasterboard and roof felt.

ALUMINIUM



Clout

38 x 3.35mm 1kg
50 x 3.35mm 1kg
60 x 3.35mm 1kg
65 x 3.35mm 1kg
70 x 3.35mm 1kg

Aluminium nails are commonly used for securing tiles and other sheet materials.

COPPER



Copper Disc Rivets

19mm Pack of 100
19mm Pack of 1000

Used for fixing fibre cement roof slates. Soft and easy to bend, while remaining resistant to corrosion.



Clout

30 x 2.65mm 1kg
38 x 3.35mm 1kg

Copper has a similar life expectancy to lead and holds without restricting thermal movement.

REPAIR



Hall Hooks (Slate Repair Fixing)

Pack of 10

Hall hooks are permanent, secret and fail safe devices that can be used when replacing a broken slate. An improvement to existing methods that can be expensive, complicated and unsightly.

LEAD



Various lengths of milled lead manufactured in accordance with BS EN 12588:2006:

Code 3	180mm x 6m
Code 4	150mm x 3m & 6m
Code 4	240mm x 3m & 6m
Code 4	300mm x 3m & 6m
Code 4	390mm x 3m & 6m
Code 4	450mm x 3m & 6m
Code 5	450mm x 3m & 6m



Lead Roll **2.4m**

Quality non-structural timber to enable easy movement of lead.

LEAD ACCESSORIES



Flexislate Code 4 Lead Base Pitch **450mm**

Flexislate offers high performance pipe shielding made from a combination of Code 4 lead and bonded EPDM.



Lead Clips **Pack of 50**

Allows you to fix flashings up to 20 times faster than using standard lead wedges. The easy to fit clip will secure any flashing chase from 6-18mm.



Patination Oil **1ltr**


A white spirit based liquid which provides a protective coating against carbonate formation on the surface of Lead Sheet which can discolour surrounding brickwork or tiles.



Flashpoint Lead Sheet Sealant (Grey) **310ml**

Flashpoint provides a preferred alternative to the use of mortar as a pointing material for lead-brick and lead-masonry joints.

LEAD REPLACEMENT



Lead Replacement

150mm x 6m
300mm x 6m

Lead replacement flashing in a graphite colour finish with a centred self-adhesive strip for easy application.

ROOF WINDOWS



White Painted Pine Centre Pivot Roof Window

55 x 78cm
55 x 98cm
78 x 98cm

Centre pivot roof windows in high quality pine with a protective white paint. The top control bar makes the window easier to open, whilst the ventilation flap can be operated with the window closed.

FLASHINGS



Slate Flashing

55 x 78cm
55 x 98cm
78 x 98cm

Designed to allow the standard installation of a single roof window into a slate roof.



Tile Flashing

55 x 78cm
55 x 98cm
78 x 98cm

Ideal for installing roof windows into tile roofs.

INSULATION


LOFT ROLL



Loft Roll Combi-Cut

Primarily used for the thermal insulation of pitched roofs at ceiling level, it can also be used to thermally insulate floors.

PITCHED ROOFING INSULATION BOARD



Insulation Board

50 x 2400 x 1200mm

PIR Pitched roof insulation is ideal for new roofs, refurbishing a roof or doing a loft conversion.



Aluminium Foil Tape

100mm Wide

A flexible and strong bright aluminium tape for use on most surfaces and on PIR insulation joints.

COWLS



Capping Cowl & Strap (Terracotta)

A Capping Cowl is used to cap off unused chimneys whilst also providing good ventilation.



Junior Multifuel Birdguard + Strap (Terracotta)

Provides a larger opening for escaping gases than standard birdguards.



Junior Strap Fix (Terracotta)

A static anti-downdraught chimney cowl, made from aluminium for durability.



Cowl Strap Fixing (Terracotta)

Offers the most aerodynamic downdraught protection a static cowl can offer.

FLAT ROOFING



Including new to the more traditional ranges, our flat roofing products will support you with any flat roofing project.

With expertise, experience and knowledge, our staff will make sure you receive the right products and support to allow you to do the job right, first time.

- Liquid Waterproofing
- Torch On Felt
- Glass-reinforced plastic (GRP) Waterproofing
- Compounds & Solutions
- Flat Roof Insulation

SIG ROOFING



LIQUID WATERPROOFING



Liquid Waterproofing (Anthracite)

5ltr & 15ltr

A new hybrid polymer liquid waterproofing system that is fully reinforced with a polyester membrane and cures through contact with moisture in the atmosphere. Being largely independent of the weather, it can be applied under practically any conditions, even on cold, wet days and on damp surfaces.

FABRIC



Liquid Waterproofing Fabric

1m x 25m

Used to fully reinforce Liquid Waterproofing, creating a flexible and strong waterproofing system.

JOINTING TAPE



Jointing Tape

100mm x 25m

A polyester reinforced self-adhesive tape designed to seal joints and seams on all surfaces prior to the application of the accompanying Liquid Waterproofing system.

LIQUID WATERPROOFING ACCESSORIES



Mixing Attachment

76mm

Carbon steel with easy clean zinc plating. For mixing paint, plaster, cement slurries and textured coatings.



Scissors

Industry standard scissors that can be used on a variety of materials.

LIQUID WATERPROOFING SYSTEM (10 YR)



Liquid Membrane

15kg

A single component polyurethane liquid membrane. Its formulation allows for fast curing, bubble free, single coat application, seamless, roofing system to be created.



Primer

4kg

A single component polyurethane primer suitable for most substrates.



Reinforced Liquid Membrane

5kg

A thixotropic, fibre reinforced, single component, polyurethane liquid membrane used for roof detailing.



Joint Sealer

600cc

A low modulus expansion joint sealant, formulated to contain both PU and Silylated-PU technology, providing a sealant which includes the best of both technologies.



Tape

A 75 mm x 10mtr self-adhesive Butyl Tape.



Fabric

A 25mtr x 1mtr Polyester Geotextile reinforcing fabric for when Classic Liquid 10 is used to overlay bitumen felt and asphalt roofs.

UNDERLAY



Torch On Felt SBS Universal Underlay

16 x 1m

Torch On Felt SBS Universal Underlay comes in 16 x 1m lengths, with a sand finish.



Polyester Sand Underlay

20 x 1m

A polyester base for toughness and durability with a SBS modified bitumen coating.

CAPSHEET



Torch On Felt SBS or APP Capsheet

8 x 1m Green

8 x 1m Black


8 x 1m Brown

8 x 1m Blue Grey

SBS or APP Capsheets consist of a polyester carrier coated with SBS or APP modified bitumen.

Our branches will carry APP or SBS dependent on local market conditions. They will also carry a minimum of two colours.

ARRIS RAIL



Arris Rail

Arris Rails are used to create an upstand that ensures water flows smoothly. These are available in various lengths from 3m to 4.8m.

OSB



OSB3 18mm Tongue & Groove

2400 x 600mm

A strong, versatile board suitable for structural use. Ideal for applications as diverse as roofing, flooring, hoarding and wall sheathing etc.



OSB3 18mm Flat Board

2440 x 1220mm

A strong, versatile board suitable for structural use. In ideal for applications as diverse as roofing, flooring, hoarding and wall sheathing etc.

Our branches will stock either Tongue & Groove or Flatboard, depending on local market requirements.

FLAT ROOFING ACCESSORIES



3.4mm Oil Tempered Drip Former

75 x 1200mm

Pre-formed sections enhance the speed of installation and consistency of the finished detail.



Propane Gas

19kg

Used in conjunction with a gas torch for the installation of Torch On Felt.



Torch Kit With Hose

10m

Self-igniting gas torch with 10m hose and regulator.



Regulator 0-4 bar

0-4 bar gas regulator with nut and tail.



Gas Hose

8mm x 10m

Rubber Hose with metal nuts and tails.

GLASS-REINFORCED PLASTIC (GRP) WATERPROOFING



Resin (Clear)

10kg & 20kg

Specially formulated for ease of application and to leave a tack free finish suitable for adhesion with the topcoat. It also boasts a low styrene emission and colour change system, showing the catalyst addition has taken place.



Topcoat (Grey)

10kg & 20kg

For easy application by both roller and brush, to provide a tack free finish when cured and to ensure suitability for use in a wide range of application conditions.



Chopped Strand Mat One Edge Trim

450g x 96.6cm

E-Glass randomly chopped strand mat for use in hand lay-up and continuous lamination.



Catalyst

500g

A catalyst is the activator used to start the curing process of the resin or topcoat. A catalyst **MUST BE ADDED** to the resin or topcoat to activate the hardening process.



Woven Glassfibre Tape

50mm x 50m

Woven tape is used to bandage small gaps, and join trim edges and corners together. Simply cut the required length and wet out with resin onto the surface.



Flat Edge Drip Trim 95 x 90mm (Mid Grey)

3m

Fitted to the roof edges to allow drainage into the gutter.



Raised Edge Trim 125x130mm (Mid Grey)

3m

With raised edge to prevent water running off roof.



Wall Fillet 120 x 60 x 80mm (Mid Grey)

3m

Used to butt against walls and provides perimeter expansion gap.

GRP APPLICATION TOOLS



Acetone - Brush Cleaner

5ltr

Pure acetone used to clean uncured resin from brushes, tools and equipment.
Virgin acetone to BS 509.



Catalyst Dispenser

80ml

1L body with 80ml measuring capacity.



Resin Roller Refill

18mm Pile

Nylon, recommended for resins.



Topcoat Roller Refill (Velour)

Velour, recommended for gelcoats.



Roller Frame Only

Roller frame.



Fin Roller

140 x 22mm & 235 x 22mm

Vertical grooves for best air release. Much less resin splashing than paddle rollers. No loose washers that clog.



Bucket (White)

20ltr / 25ltr

Plastic buckets with handles for mixing or storing resins. Available with or without lids.



Latex Gloves

Box of 100

Latex gloves lightly powdered, box of 100.



Swivel Sanding Pad Only (For extension pole)

Swivel pole sander head for sanding off large areas - use with an extension pole and simply clamp on your sand paper.



Telescopic Aluminium Extension Pole

Metal Telescopic Pole 80-135cm (32-53") comes with a screw and taper cone to allow fitment to majority of handles.

COMPOUNDS & SOLUTIONS

PATCH & REPAIR



Roof Repair System (Grey)

5kg & 20kg

A low odour, low VOC, solvent based acrylic resin system for use when waterproofing or repairing various roofing systems.

PAINTS & PRIMERS



Quick Dry Bitumen Primer

5ltr & 25ltr

A fast drying primer used to seal and prepare surfaces for the application of bituminous waterproofing products.




Aluminium Paint

5ltr

A solar reflective coating suitable for the protection of metal and bituminous roofs against the effects of UV & heat ageing.

FLAT ROOF INSULATION



PIR Insulation Board

120 x 600 x 1200mm

Lightweight easy to cut, handle and install and suitable for a variety of systems.




Liquid Polyurethane Adhesive

5.5kg

Moisture curing one-component PU adhesive for the efficient, clean, economical and durable bonding of roof insulation panels.

INDUSTRIAL ROOFING



Through working with leading manufacturers in the industry you can have total confidence in the products we supply, often backed by warranties.

Along with our proven nationwide logistics network our Core Range promise ensures you get the right products, in the right place, in the right quantities, and at the right time.



PROFILE 3 FIBRE CEMENT

PROFILE 3 FIBRE CEMENT SHEETS



Profile 3 Standard

3050mm

Profile 3 is easy to handle and suitable for small structures in the agricultural, industrial and domestic sectors such as housing, garages, general purpose sheds and smaller buildings. Suitable for roofs with a pitch of down to 10°. 5 and 8ft lengths are also available to order.



Two Piece Closing Fitting Ridge Inner & Outers

An adjustable ridge solution for use on roofs with pitches from 5 to 45°.



External Corner Piece

200 x 200 x 3000mm

Used as a corner flashing when installing Fibre Cement sheets on the wall. Can also be used as a plain wing Barge Board.

ROOFLIGHTS TO SUIT PROFILE 3 FIBRE CEMENT SHEET



Class 3 2.44kg

3050mm

Manufactured from glass reinforced polyester resin (GRP), with unique light diffusing additives which scatter light passing through, to provide effective daylighting without hot spots or excessive glare. (Talk to an advisor in branch for advice and recommendations on Fire Grades and weights that are available to suit bespoke project applications).

ACCESSORIES & FIXINGS



Butyl Mastic Roll

6mm x 5mm x 9.6m

Butyl rubber mastic sealant to be used on side and end laps of steel sheeting.



85mm Light Section Fixing with BAZ Washer

Used to fix Fibre Cement Sheets into light gauge purlins or sheeting rails.



95mm Timber Fixing with BAZ Washer

Screws designed to fix your profile 3 Fibre Cement Sheets into a timber frame strongly and securely.



Profile 3 Foam Fillers

For use with Profile 3 fibre cement or asbestos sheets or Profile 3 GRP sheets.



16mm Colour Caps (Poppy Red)

For attaching to the top of Hex fasteners when installing rooflights sheets (best practice recommendation).



5/16 Hex Head Drive Adaptor

Innovative bit of kit that makes it easier to use a powdered drill to insert fixings.

ROOFLINE & RAINWATER



With a stock availability guarantee to support your business on a range of PVC fascias, soffits and rainwater products our core range ensures you get the right products, in the right place, in the right quantities, and at the right time.

SIG ROOFING



FASCIA & SOFFIT



In-Line Joint

**300mm
500mm**

For use with universal / full replacement board to join lengths together.



Corner Joint

**300mm
500mm**

Fascia corner joint trim completes a fascia corner for a neat and professional finish to universal / full replacement board.



Multi-Purpose / Soffit Board

**150mm x 5m
200mm x 5m
250mm x 5m**

Used as a soffit board for a smooth modern finish. Easy to handle, cut and install. Robust and durable.



Capping Board

**150mm x 5m
200mm x 5m
250mm x 5m
300mm x 5m**

Suitable as fascia (refurbishment - install over a sound timber support), window board or reveal liner.



Full Replacement Board

Replacement Fascia Boards are suitable for areas where there is no soffit, in particular where the fascia needs to be fitted flush to the wall.

HOLLOW SOFFIT



Hollow Soffit

300mm x 5m

A popular choice for soffit that can be used diagonally or vertically. Easy fit with a tongue and groove profile.



Hollow Soffit H Trim Hollow Soffit J Trim

**5m
5m**

Trims for use with soffit and universal boards.



Circular Soffit Vent Standard (White)

Circular Soffit Vents are easy to install, providing eaves ventilation through the soffit for new build or re-roofing.



Eaves Protector (Black)

1.5m

Used at the eaves of a roof to support and protect roofing underlay.



Fascia Vent

10mm & 25mm

Smooth leading edge for fitting on the top of fascia to ensure constant air flow into roof space between fascia board and felt.

RAINWATER

In Scotland the range will be based on High Capacity Guttering.

BLACK



112mm Half Round Gutter

4m

Connects to most other metal or plastic guttering systems and in conjunction with 68mm downpipe and fittings.



112mm Half Round 90° Angle

A practical, easy to install system with good flow capacity and pre-lubricated seals. A cost effective solution for both new build and refurbishment applications.



112mm Half Round 135° Angle

A practical, easy to install system with good flow capacity and pre-lubricated seals. A cost effective solution for both new build and refurbishment applications.



68mm Round 92.5° Offset Bend

Practical and easy to install.



68mm Round 112.5° Offset Bend

112.5° downpipe offset bend for 68mm system. Practical and easy to install.



68mm Round Shoe

To be used at the end of downpipe run to divert water away from the building. For 68mm system.



68mm Round Pipe Clip

Holds downpipe in place and supports the downpipe to the wall. Fixed at 1.8m centres.



112mm Half Round External Stopend

To be placed at the end of the gutter run.



112mm Half Round Fascia Bracket

To be spaced every 1m (maximum) along the gutter run.



112mm Half Round Running Outlet

To join two lengths of gutter together.



112mm Half Round Stopend Outlet

To be placed at the end of the gutter run.



68mm Round Pipe

2.5m / 5.5m

The original Round profile. Connects to most other metal or plastic systems using our extensive range of adaptors.



68mm Round Pipe Socket

For use with Half Round & Hi-Cap rainwater systems.



112mm Half Round Union Bracket

Joins gutter together. Pre-lubricated fitted gutter seal with good flow capacity and retaining clip system for fast user friendly installation.



68mm Round 67.5° Branch

High quality and easy to install.

HIGH CAPACITY



HiCap 115mm x 75mm Gutter (Black)

A semi-elliptical profile. High capacity - ideal for large roof areas.



HiCap 90° Angle (Black)

A semi-elliptical profile, ideal for large roof areas.



HiCap External Stopend (Black)

To be placed at the end of the gutter run.



HiCap Internal Stopend (Black)

To be placed at the end of the gutter run.



HiCap Fascia Bracket (Black)

To be spaced every 1m (maximum) along the gutter run.



HiCap Running Outlet (Black)

To allow water to disperse from the gutter into the downpipe.



HiCap Union Bracket (Black)

Joins gutter together. Pre-lubricated fitted gutter seal with good flow capacity and retaining clip system for fast user friendly installation.

ROOFLINE ANCILLARIES



Polytop Pins (White)

40mm

Polytop Nails (White)

65mm

Headed pins and nails that are ideal for fixing Fascias and Soffits into timber joists.



Multi-Purpose Screws

5 x 30mm

5 x 40mm

5 x 50mm

5 x 70mm

Multi-purpose screws are ideal for use with a range of materials. Available in packs of 200.



Plastic Leaf Guard

This Universal Plastic Leaf Guard is sized 60mm - 125mm.

SILICONES & SEALANTS



Core Range offers an array of essential silicones, sealants, solvents, cleaning materials and adhesives to help you complete your project with a high quality finish.

SIG ROOFING



SILICONES AND SEALANTS



LMN Silicone (Clear / Brilliant White)

300ml

Ideal for sealing joints and perimeter pointing around all types of window and door frames. Various colours available and will be stocked according to the foil held in branch.



Pro Grab Adhesive (Black / Clear / White)

290ml

Instant grab adhesive based on MS polymer technology. It has initial bond strength double that of most other grab adhesives, therefore eliminating the need for secondary support on the majority of applications.



Superglue Activator

200ml

Super glue Activator is used for speeding up the cure time of cyanoacrylate super glue.



Superglue High Viscosity

50g

Cyanoacrylate adhesive provides high strength, rapid bond to plastic, rubbers, ceramics, wood, metal and most other surfaces.



uPVC Solvent Cleaner

1ltr

Solvent based product formulated to remove ingrained dirt from PVCu and most plastics. Also suitable to restore an "as new" look to old windows and plastic garden furniture.



Caulking Gun

Branches hold Caulking Guns that are suitable for a variety of cartridges sizes from 300ml to 400ml.



Heavy Duty Wipes

80 per tub

Wipes contain a high specification degreasing solution impregnated into 'ready to use' wipes. The degreasing solution will remove a wide range of contaminants such as oils, greases, waxes, tar, bitumen, wet paint and sealants.

GENERAL TOOLS & PPE



Whether it is a Pitched Roof project, or a Flat Roofing application, our Core Range offers a wide range of high quality tools, PPE and accessories to help you get the job done.



Cotton Dust Sheet

2.7 x 3.6m

100% cotton dust sheets made from a single woven sheet of fabric with no joins.



Long Series Drill Bit

4.0mm

Precision high speed twist drill bits. Fully ground in a bright finish.



SDS Drill Bit

6.0 x 210mm

SDS drill bits deliver speed, accuracy and durability.



Soffit Cutter

A specially designed high speed steel hole saw (70mm + 76mm) fitted with an integral arbor and replacement pilot drill.



Dust Pan & Brush Set

Ergonomically designed Dustpan and Brush set.





Standard Ratchet Tie Down

Standard ratchet tie down; used for securing products on vehicles.



Hammer Tacker

Heavy duty steel construction hammer tacker with anti-slip soft rubber grip. Loads 2 full strips of staples.



Bass Broom Complete

450mm

Bass broom with 450mm head (18 inches) Heavy duty, suitable for outdoor use.



Mop/Broom handle

1200mm x 23mm

For use with our range of Broom Heads and Mop Heads.



Bungee Strap

1220mm

High quality 1220mm (48 inches) Bungee Cord / Strap provides an effective way of securing loose items.



16oz Claw Hammer Steel Shaft

Dual purpose general use hammer allows nails to be driven in and also extracted by the claw.



Scriber

This double tip Scriber is ideal for scribing laminates and tiles.



Economy Paint Brush

50mm, 76mm & 100mm

A range of standard flat paint brushes with wooden handles.



Slate Cutter & Hole Punch

Roof slate/tile cutters with spring loaded comfort grip handles.



Heavy Duty Blades

Hooked (Pack of 10)
Straight (Pack of 10)

Quality heavy duty hooked and straight roofing trimming blades.



Chalk Reel

30m

Mini road line 30m. Used to achieve perfectly accurate chalk lines over long distances.



Longo Chalk Reel

30m

Longo Chalk reel, used to achieve accurate chalk lines over long distances.



Chalk Refill

Perfect for drawing on a wide range of surfaces.



Gas Refills

Replacement gas cylinder for the Oxyturbo lead welding and lead burning kit.



Oxygen Refills

Replacement oxygen bottle for use with the Oxyturbo welding kit.



Plastic Bucket (Black)

3 Gallon

Reinforced upper rim for extra strength.



2 Ply Paper Roll (White)

150cm

High quality 2 ply recycled tissue paper ideal as a general tissue wipe.



Gauging Trowel

180mm

Used for mixing mortar and applying small amounts in confined areas.



Pointing Trowel

150mm

Perfect for pointing and applying small amounts in confined areas.



Quality Scraper

75mm

Made from hardened, tempered steel with a hardwood handle.



Expansion Plug (Brown)

7mm

Universal plug to fix into any wall, ceiling or floor.



Roller Frame

230 x 45mm

Suitable for 230mm sleeve with 45mm inside diameter. Handle fits extension pole with screw in facility.



Rollerframe Fleece Sleeve

230mm

Replacement fleece sleeve for a paint roller.



Universal Hand Saw

500mm

All-round saw, perfect for cutting a wide range of materials.



22" Hand Saw For UPVC & Fascia

550mm

A hardpoint saw for cutting UPVC and hard plastics.



Extra Cut Snips

Multi-purpose snips for most sheet materials.



Soft Feel Tape Measure

5m & 8m

Integrated belt clip and wrist band with impact absorbing rubber casing for better grip and comfort. Auto lock blade system with push release button and zero point magnetic end hook.



Stainless Steel Slate Ripper

600mm

Stainless steel flexible spring tempered blade and straight heavy handle with recessed grip.



Super Strength Rubble Sacks

Pack of 10

Heavy-duty rubble and refuse sacks. Suitable for a variety of uses.



Tarpaulin

3.5 x 5.4m

High strength woven plastic with seamed edges with metal eyelets.



Trimming Knife Fixed Blade

Trimming knife with fixed blade.



Trimming Knife Retractable Blade

Trimming knife with retractable blade.



Tar Brush

To paint tar along seams and joins for a quality waterproof finish, featuring a turned wooden handle.



Type 11 Staples

10mm (Pack of 2000)

12mm (Pack of 2000)

High quality, strong staples.

PERSONAL PROTECTIVE EQUIPMENT



Polyester Tool Pouch & Belt

Features a hammer sling, two screwdriver / pencil pockets and a large tool pouch. Made from high strength woven polyester.



Mini Gel Knee Pads

Mini Gel Knee Pads with air injected gel foam for increased comfort and longer life. Super lightweight design. Ideal for indoor and outdoor use. Complete with an adjustable elasticated strap.



Standard Build Grip Glove (Orange)

Orange standard builders grip glove, latex coated, crinkle finish, polyester / cotton liner.



Smart PVC Coated Glove (Red)

Red fully coated PVC 35cm gauntlet. Suitable for general handling, maintenance and assembly. Manufactured to EN388.



Nitrile Coated Glove (Black)

100% Black seamless nylon liner 13 gauge. Solid nitrile coated to palms and fingers. Ventilated back for extra comfort. Manufactured to EN388.



The right products for the job



SIG ROOFING



BRANCH LOCATION & TELEPHONE NUMBERS

SCOTLAND

SIG ROOFING

Aberdeen	AB16 5UU	01224 692000
Ayr	KA8 8BL	01292 262885
Broxburn	EH52 5NN	01506 857613
Dundee	DD2 3QQ	01382 833011
Edinburgh	EH6 7LF	0131 554 2554
Glasgow	G31 4DX	0141 556 5200
Glasgow	G71 6LL	01698 817428
Inverness	IV1 1SY	01463 250318
Kirkcaldy	KY1 2YX	01592 654913
Linwood*	PA3 3BQ	01505 321122
Melrose	TD6 ORS	01835 823640

NORTH WEST

SIG ROOFING

Blackpool	FY3 7UN	01253 398376
Bolton	BL3 2NH	01204 523336
Crewe	CW2 8UY	01270 251000
Leyland*	PR26 7QL	01772 453939
Liverpool	L9 7ET	0151 521 2100
Manchester	M11 1BR	0161 230 7712
Manchester	M34 5LR	0161 320 3456
St Helens	WA9 3AP	01744 611471
Warrington	WA4 4EZ	01928 796100
Wigan	WN3 4BT	01942 615030

TYNE AND TEES

SIG ROOFING

Gateshead	NE8 3AD	01914 779474
Killingworth	NE12 6QQ	01912 686627
Middlesbrough	TS2 1DF	01642 242753
Stockton	TS18 2PH	01642 677772

YORKSHIRE

SIG ROOFING

Bradford	BD3 9HB	01274 392433
Grimsby	DN31 2SG	01472 245667
Huddersfield	HD3 4JW	01484 653373
Hull	HU4 6PA	01482 574577
Leeds	LS12 6AB	0113 263 1263
Leeds	LS9 0PF	0113 235 1441
Rotherham	S60 1DA	01709 835500
Scarborough	YO12 4HA	01723 375851
Scunthorpe	DN16 1DQ	01724 854444
Sheffield	S9 1TL	0114 243 4188
York	YO30 4UU	01904 476319

MIDLANDS

SIG ROOFING

Birmingham	B11 2FE	0121 708 1515
Birmingham	B19 1ED	0121 523 9143
Birmingham	B24 8LD	0121 327 3071
Coventry	CV6 6FG	02476 688754
Derby	DE24 8HL	01332 349155

MIDLANDS continued

Dudley	DY2 0RL	01384 472420
Leicester*	LE18 4TA	0116 278 5262
Newark	NG24 2EQ	01636 611880
Nottingham	NG7 2NN	0115 985 1400
Nottingham	NG8 1PQ	0115 928 5999
Oswestry	SY10 8NN	01691 654551
Stoke	ST4 2NL	01782 280567
Telford	TF1 5ST	01952 641161

WEST

SIG ROOFING

Bath	BA1 3EN	01225 483828
Bristol	BS2 0UZ	0117 971 0085
Bristol	BS5 9RD	0117 941 2412
Bristol	BS3 2TN	0117 966 3072
Gloucester	GL4 3SJ	01452 521347
Hereford	HR2 6JT	01432 273084
Oxford	OX2 0ES	01865 790303
Reading	RG30 4BJ	0118 945 5454
Swindon	SN2 8XA	01793 613339

WALES

SIG ROOFING

Cardiff	CF24 5HB	029 2048 3939
Porth	CF39 9SJ	01443 681004
Swansea	SAS 7LF	01792 790272

ANGLIA

SIG ROOFING

Bedford*	MK41 9QG	01234 325283
Cambridge	CB22 7QP	01223 872260
Colchester	CO2 8JX	01206 877460
Colchester	CO2 9JT	01206 840230
Great Yarmouth	NR31 0LY	01493 659991
High Wycombe	HP12 3RJ	01494 450079
Ipswich*	IP1 5LU	01473 749621
Kings Langley	WD4 8JU	01923 269983
Kings Lynn	PE34 3AJ	01553 764202
Luton	LU1 3XL	01582 724837
Northampton	NN5 5JF	01604 765684
Norwich	NR3 3ST	01603 487860
Peterborough	PE1 5YB	01733 345004
Southend	SS2 5QW	01702 613181
Southend	SS9 5PR	01702 425213
St Ives	PE27 3YJ	01480 467776
Waltham Cross	EN8 7DZ	01992 624938

LONDON

SIG ROOFING

Cheam	SM3 9AG	020 8337 9455
Chingford	E4 7HZ	020 8559 4334
Croydon	CR0 2BD	020 8686 6911
Croydon	CR0 4YZ	020 8689 0481
Kentish Town	NW5 3EW	020 7485 5550

LONDON continued

Kentish Town	NW5 2DS	020 7485 1791
Park Royal	NW10 7UL	020 8507 4380
Rayleigh	SS6 7XF	01268 798999
Romford	RM7 0HL	01708 754022
Romford	RM3 8TS	01708 377666
Slough	SL1 4BG	01753 570526
South Harrow	HA2 8AX	020 8426 8838
Stratford	E15 2RW	020 8536 5400
Tottenham	N17 8HJ	020 8808 6816

SOUTH EAST

SIG ROOFING

Brighton	BN41 1WF	01273 430444
Finchampstead	RG40 4RB	01189 733788
Folkestone	CT19 5EY	01303 226888
Gravesend	DA12 2PS	01474 532999
Hanwell	W7 2QD	020 8571 6555
Hastings*	TN38 9ST	01424 853099
Horsham	RH12 2NW	01403 270640
Hove*	BN3 7ES	01273 328640
Leatherhead	KT22 7LF	01372 361600
Lewes	BN7 2BQ	01273 488888
Maidstone	ME15 9NL	01622 843399
Milford	GU8 5BB	01483 425828
Ramsgate	CT11 7QE	01843 592772
Sidcup*	DA14 6QF	020 8302 5451
Sittingbourne	ME9 7NU	01795 843967
Tunbridge Wells	TN2 3DY	01892 515599
Weybridge	KT15 2SD	01932 850500
Woking	GU21 3BA	01483 215100
Worthing	BN14 8NW	01903 201013

SOUTH COAST

SIG ROOFING

Bishops Waltham	S032 1BH	01489 896544
Bournemouth	BH12 4BJ	01202 731867
Eastbourne	BN23 6QN	01323 500458
Poole	BH15 4BN	01202 682491
Portsmouth	PO3 5AY	02392 690214
Portsmouth	PO3 5NX	02392 671521
Southampton	SO15 0LG	02380 365555
Waterlooville	PO7 6QX	02392 258344

SOUTH WEST

SIG ROOFING

Exeter	EX2 8PY	01392 250323
Newquay	TR7 2SX	01637 852660
Plymouth	PL1 4LL	01752 509538
Taunton	TA1 5LY	01823 323888
Torquay	TQ2 7BD	01803 613212

*Denotes small branches within our national network thus some Core Range items may only be available next day. Please check stock with the branch prior to making a collection visit.



Harding Way, St Ives,
Cambridgeshire,
PE27 3YJ
Tel: 01480 466777

Fax: 01480 290133

Email: info@sigroofing.co.uk

Web: www.sigroofing.co.uk

This brochure has been produced by the Marketing Department for SIG Roofing. All rights reserved. No copying by any means is permitted, except when permission is given in writing by SIG Roofing. This brochure contains manufacturers' product information that is reproduced by SIG Roofing in good faith, based on the latest knowledge available at the time of going to print. Whilst every effort has been made to ensure that the information is current and correct, as distributors SIG Roofing cannot accept responsibility for the application and specification data featured. Neither can we accept responsibility where the manufacturers' instructions have not been followed. We reserve the right to amend, withdraw or substitute these products at any time. CORE RANGE/12/17/V02