

INSIGHT

SERVING THE ROOFING INDUSTRY

FROM **SIG** ROOFING



Our online home Get a deeper insight into all things roofing at www.sigroofing.co.uk/info-hub

Issue: Four

Welcome to this edition of INSIGHT. Inside you'll find the current trends with architects and flat roof designs from the roofer's point of view, plus the latest on the installation requirements for Pitched Roof Valley Boards. We also look at how TIL-R Dry Fix Ridge Kits comply with BS 8612, and new products in the FIX-R Classic Liquid 10 range for faster application and reduced installation costs - there's also the Select range from SIGnature Clay Tiles.

Plus there's a new Marketing Manager at SIG Roofing, an employee that was 'blown away' by winning the annual ViP scheme and information on how tax doesn't have to be taxing with HMRC!

www.sigroofing.co.uk/info-hub

Highlights in this issue:

PRODUCTS CENTRAL

- How to weather working outside
- Guarantee your bituminous substrates with FIX-R Blocker Primer
- 'Dawn chorus' of approval for community-minded roofer Terry

ON THE CASE

- Iconic Bristol landmark takes shape, with help from Armourplan PSG
- Story Homes chooses Roofshield to endorse quality and excellence

GETTING LEGAL

- HMRC and you - it doesn't need to be taxing

GETTING TECHNICAL

- Making pantile installation easier
- Flat roofing's high five!
- Pitched Roof Valley Boards - a common misunderstanding

OUT AND ABOUT

- Richard Kendrick, new SIG Roofing Marketing Manager
- SIG Industrial Roofing Centre moves to Manchester

How to weather working outside

If you're wearing heavy black work boots, a hard hat, long trousers and safety goggles temperatures can reach 120°F, which is dangerously high. No surprise then that the Trades Union Congress has seen a dramatic rise in reports of fainting, dizziness and cramps, and warns that for some, the heat also places a dangerous burden on lungs and hearts.

If a person's blood temperature rises above 39°C, there is a risk of heat stroke, while delirium, organ damage or even death can occur above 41°C. So, as far as is reasonably practical, employers must provide a working environment which is safe and without risks to health and that includes temperature. Employers should also try to safeguard their staff by providing free access to



cool drinking water and shaded rest areas.

To protect yourself while working outside, the NFRC suggests workers have regular breaks, drink lots of water, rotate to jobs in shaded areas when possible and apply sun cream regularly.



'Dawn chorus' of approval for community-minded roofer Terry

Each year for the past six years Terry Maguire has been joined by scores of residents for the annual 'The Big Walk', a 34-mile tour of every single street in Newton-le-Willows, near St Helens. The walk raises money to help young people participate in clubs and other activities, and this year there were 117 on the start line collecting an impressive £4k - £5k.


The idea came to Terry in April 2011 when having

challenged himself to walk from Newton-le-Willows to Caernarfon a friend suggested he do it for charity.

Terry's community work earned him a nomination as a 'Local Hero' in the National Federation of Roofing Contractors 2018 UK Roofing Awards, which are sponsored by SIG Roofing.



New Dry Standard BS 8612



With the publication of BS 8612, the UK roofing industry finally has a British Standard for its dry fix roofing products such as ridge, hip and verge systems. It ensures products are fit for purpose by providing material specifications for long-term durability criteria, as well as technical performance,

to ensure resistance from rain and strong winds.

This is a great first step for the industry, which will result in less roof failures from incorrect installation and support contractors to deliver quality completed roofs.



Flame-Free Flat Roofing Solutions with IKO Easyseal Pro

IKO Easyseal Pro is a new self-adhesive bituminous cap sheet designed for roofing areas which are unsuitable for traditional torch-on techniques.

Specifically developed for the trade professional as part of the IKO Easyseal Built-Up Flat Roofing System, Easyseal Pro combines a safe flame-free application with a 20-year product guarantee. It is ideal for extensions to residential buildings, garages, porches and dormer windows as well as larger commercial projects.



The tough and durable polyester material is quick and easy to install with full instructions supplied and full support available from the IKO Technical Team.



Russells' product hits large milestone



Just a year after coming to market, sales of Russell Roof Tiles' new Country Stone product are sky-high.

What is so great about Country Stone is that the tile has been designed to look like 'real' natural stone roofs but with the benefits of long-lasting and cost-effective concrete.

Country Stone is one of three colours in Russells' Natural Range, which has seen massive growth in the South of England.

The first project to use Country Stone was The Paddocks development in South Oxfordshire. Russell Roof Tiles provided a huge £75k worth of its Galloway tiles in Country Stone and the tiles now look fantastic on 75 new properties.

Find out more at:
<https://bit.ly/2tuGmAR>



It's a good time to install clay tiles



SIGniture Clay Tiles consist of select ranges of Handmade, Hand Crafted and Machine Made Clay Tiles that bring together modern technology and the traditional skills of the clay tile maker. They improve with age and weathering, add character and enhance the beauty of any building, resulting in old world charm for natural roofs.

Created to meet the highest standards of quality and usability, the range has a choice to suit all budgets, and meets all the required regulatory requirements. It's also fully supported by a 30-year product guarantee as well as forming part of SIG Roofing's ONE Warranty.


Choose from:

- Handmade Clay Tiles made in the traditional fashion
- Hand Crafted Clay Tiles finished by hand to replicate a rustic sand faced or smooth faced texture
- Machine Made Clay Tiles hold their hue, mature with age and are for the more cost conscious project

The SIGniture Clay Tile range is complimented by a full range of clay fittings.

To download the brochure and find out more, visit:
<https://bit.ly/2O0Gn96>

SIGNATURE
CLAY TILES



Redland clay slate sets the standard in large format tiles

The size and interlocking design of Redland's Westminster Slate help deliver the quality and aesthetic of traditional clay tiles more cost-effectively - you only need 10 tiles per m², compared to 60 for traditional clay plain tiles.

A finely tapered leading edge also gives the Westminster an exceptionally slim appearance. This thin form, combined with a hidden cut-back interlock, raised nail holes and custom-engineered head, helps the slate achieve low pitches down to 17.5°. It comes in three classic colours: City Black, Cardinal



Red and Old College Red.

The Westminster is available in 480 x 326mm, with a cover width of 280mm and headlap range between 110mm and 140mm.

Find out more at: www.redland.co.uk/westminster



Guarantee your bituminous substrates with FIX-R Blocker Primer

If you already use FIX-R waterproofing you'll know how versatile and reliable it is. It can be applied under practically any conditions, regardless of the weather, even on cold, wet days and on damp surfaces. What you might not be aware of is that it is now a requirement of the product warranty to

use FIX-R Blocker primer when applying the System over Bituminous substrates.

This is to:

- Seal any contaminants on the substrate
- Improve the stability of the substrate for the product to adhere to
- Provide a more robust roofing solution
- Stop bitumen bleed through

Revised product data sheets are available from www.fix-r.co.uk



Getting to 'Grip' with the Edge!

The new Calderdale Edge from Wienerberger is a large format concrete tile that boasts increased strength and size, so you need fewer tiles to cover the same area. Its thinner interlocking design, means it's quicker to install, while also being much more sturdy.

Wienerberger has also created an innovative new tile and eaves clip to work with the Calderdale Edge system. The 'Monkey Grip' features an integrated nail,

making it quicker and easier for contractors to install as well as being 30% stronger than existing metal clips.

For more information visit <https://wienerberger.co.uk/about-us/calderdale-edge>



Cembrit Glendyne slates now guaranteed for 75 years



Cembrit is offering an impressive 75-year durability guarantee for its Glendyne natural slate range.

Glendyne is a high-quality blue-grey slate that combines first-class performance with all the inherent beauty of natural slate, making it the 'natural' choice for roofers. Used on a number of prestigious buildings and monuments, Glendyne slates achieve innovative and imaginative designs.

Glendyne is available in four sizes. The larger sized slates -

610x305mm and 508x305mm - can be pitched at a minimum of 25° and 20° in moderate exposure zones and 30° and 22.5° in severe exposure zones. The 508x305mm slates exceed the common 2:1 length width ratio.

For more information visit www.cembrit.co.uk or speak to your local SIG Roofing branch.



Managing roofline asbestos safely

Asbestos soffit boards are commonly found on buildings constructed in the 1950s and 1960s. While they are safe when left in-situ, they can present an issue when the exterior requires refurbishment. The best approach in many cases is to overclad the asbestos, without disturbing it.

At only 4mm thick, Marley Alutec's lightweight

composite aluminium Evoke fascia and soffit system is an ideal solution. It is sufficiently strong and rigid to span the depth of the soffit without the need to drill or fix it into the existing asbestos system - leaving it untouched.

With a life expectancy of 50 years or more, it is the ideal 'fit and forget' solution. The range also benefits from an architectural grade

paint that incorporates a Nano additive able to resist the adhesion of grime and moss - reducing on-going maintenance costs further.

For more information on Marley Alutec's Evoke fascia and soffit system, visit <https://bit.ly/2trvQKR>

ALUTEC
ALUMINIUM RAINWATER SYSTEMS



FIX-R Classic Liquid I0 expands range

The FIX-R Classic Liquid I0 system is a collection of polyurethane based products designed to help roofers protect flat roof surfaces. Two new products have been introduced into the range to speed up application times and reduce installation costs.

FIX-R Classic Tape I0

Is a self-adhesive reinforced jointing tape used at board joints in place of the Classic Fibred I0 previously used to reinforce this detail.



FIX-R Classic Fabric I0

Reinforcing Fabric for all Bitumen Felt and Asphalt Overlays and applied wet on wet between coats of Classic Liquid I0. Once again this has been introduced to replace the use of Classic Fibred I0 previously used to reinforce these details.

A brand new FIX-R Classic Liquid I0 Quick Guide has been produced including installation guidance for application over PLY/OSB Decking and also overlay to existing Bitumen/Asphalt Roof. For details visit: <http://www.fix-r.co.uk/downloads-2/fix-r-classic-liquid-i0-downloads/>



TIL-R Dry Fix Ridge Kits meet BS 8612

Exponential growth in the dry fix market, fuelled by recent changes to industry Standards and guidelines, has resulted in a huge array of options for specifiers and installers of dry fix products. To ensure these are all fit for purpose, the new Dry Fix British Standard BS 8612 specifies the performance requirements and test methods for dry-fixed ridge and hip systems.

One of the best value options that meets the new Standard are the TIL-R Universal Dry Fix Ridge Kits. These high quality, great value, mechanically fixed solutions are suitable for most ridge and hip applications. They secure ridge tiles at

the roof apex, are resistant to wind uplift and water penetration and are ventilated to BS 5534:2014 requirements (this was revised in 2018).

With a 20 year guarantee and also included as part of SIG Roofing's ONE Warranty, TIL-R Dry Fix Ridge Kits provide the right solution for the job.



TIL-R



Iconic Bristol landmark takes shape, with help from Armourplan PSG



The former Bristol General Hospital is an iconic Grade II Listed building overlooking the city's harbourside, now redeveloped as luxury apartments and houses. Developer City & Country was granted

planning permission on the condition that they recreate a key historic feature, the Ogee Dome, an uneven structure comprising three sections, which once capped the building's octagonal tower.

SIG Design Technology supplied IKO's Armourplan PSG membrane, ideal for replicating the original seamed lead roof.

Roofing contractors Roofworx studied archive photos of the Ogee Dome

to ensure the same look was replicated with their craftsmanship. As well as recreating lead seams as standing seams using Armourplan PSG, the membrane was carefully dressed around the eight dormer windows.

Armourplan PSG has a 25-year guarantee. By using the same high quality UV resistant PVC compound on both the upper and lower side of the membrane, Armourplan PSG ensures optimal weld strength and quality.

Discover more at: <http://bit.ly/TheGeneralBristol>



Story Homes chooses Roofshield to endorse quality and excellence

Award winning property developer Story Homes has chosen Roofshield, the unique vapour and air permeable pitched roof underlay, as a key product in their strategy for continuous improvement in build quality.

An important area which Story Homes wanted to improve was the ventilation of their cold roof spaces, particularly given the complexity of the roof designs on their 4/5-bedroom houses. Following initial meetings between the A. Proctor Group's

technical team and the developer's design team, Roofshield was selected. Its high performance air permeability means that the roof space has five times more air changes than using traditional eaves/ridge ventilation.

In line with guidelines and a statement issued by the NHBC, independently certified air and vapour permeable underlays can be used without additional ridge ventilation in cold roofs. The use of Roofshield vapour and air permeable membrane will lead to savings in labour and



material costs, and avoid the risk of ventilation being blocked by insulation or household storage.

Roofshield pitched roof underlay, which is both air and vapour permeable, was chosen for the roof because it has an extremely high

degree of vapour and air permeability, so still performs in conditions where airtight alternatives will not.



HMRC and you - it doesn't need to be taxing



Working out how much and when to pay your tax and VAT can be a little daunting. The best place to find help is the HMRC website www.gov.uk, where you can find all the information you need in bite-sized pieces. Here's a quick run-down on some of the key points to consider.

Tax

As a sole trader you need to fill in a Self-Assessment form every year, either online or on paper (watch out for the different deadlines). Or, if you have an accountant, they can do this for you.

The amount of tax you pay depends on your profit, not your total income and HMRC will calculate what you owe based on the

figures you supply in the Self-Assessment form.

Fortunately, you can set some of your outgoings against your income to bring down your taxable profit. This includes such things as the use of your home as an office, internet and mobile phone costs. If, for example, your turnover is £40,000 and your expenses are £10,000, you only pay tax on £30,000.

As a sole trader you usually also pay two types of National Insurance (NI), Class 2 and 4, which qualify you for benefits including the State Pension. Class 2 is a set weekly rate - currently £2.95, while Class 4 is a sliding scale linked to profit. Most sole traders pay NI

through Self-Assessment along with their Income Tax.

VAT

If your annual turnover is £85,000 or over you have to be VAT registered, but if it's less then it's your choice.

The main benefit of being VAT registered is that some people and businesses consider you to be more professional. Having that VAT number on your invoices gives the impression that your business is more established, something that customers like to see.

The standard VAT rate is 20% and you will always charge customers this amount. However, when it comes to you paying VAT

to the HMRC, they offer a Flat Rate scheme, which is a 'simplified' way of calculating your VAT.

As a roofer the Flat Rate you would pay can vary considerably depending on whether you are supplying labour-only or labour and materials, so it's important to check.

You will also need to file a quarterly VAT return, however it's not that difficult or time-consuming and HMRC will send you a reminder a month in advance. An accountant can also do this for you.

For the full picture, visit www.gov.uk

Making pantile installation easier

The Lincoln interlocking pantile gives contractors a quick and easy installation solution, without compromising on aesthetics. Here, manufacturer Marley Eternit answers some common questions about the tile:

1. How does the Lincoln speed up installation?

The Lincoln has a completely 'open-gauge' to speed up installation, so it can be adjusted on the roof, providing flexibility, without the need for complicated setting out or specialist skills. Its compatible fixings mean it can be installed to meet BS 5534 fixing requirements and NHBC technical Standards as quickly as possible.

2. Will it still rock on the batten like a traditional pantile?

No, the Lincoln has a flat batten locator section on the rear. This prevents rocking on the batten and is easier to install.

3. Can I use it with a dry fix system?

Yes, unlike traditional pantiles, the Lincoln has been designed to work with either our Universal dry fix range, or a wet bedded mechanical fixing system. It can also be used with our one-piece clip and nail, SoloFix, which can save up to 30% on roof clipping time.



4. Will the tiles be accepted by planning?

The Lincoln gives a traditional rustic pantile aesthetic, so in most cases will be accepted.

For more information visit www.marleyeternit.co.uk/lincoln



Flat roofing's high five!



SIG Design Technology's Paul Jacobs has seen a few roofing horror stories in his time. Here are his five golden rules of flat roofing.

Rule 1: Remember that flat roofs aren't flat

The British Standard BS 6229:2003 code of practice describes flat roofs as having a pitch not

greater than 10 degrees. The Standard also identifies minimum recommendations for designed and achieved falls e.g. 1:40 and 1:80 respectively for single ply membranes.

Rule 2: Maintain those minimum upstand heights

Continuity of waterproof coverings should be maintained for a vertical

height of 150mm above the finished roof level at all abutments, door openings and parapets.

Rule 3: Roofs need maintenance

The service life of roofing systems may be significantly extended by occasional maintenance, or reduced by the lack of it.

Rule 4: Night joints

Trapped moisture in new constructions can not only lead to damage but constant call backs to a leaking roof that isn't actually leaking. Ensure adequate night joints are created.

Rule 5: Check your laps as work progresses

The responsibility for checking laps, fixing centres and monitoring adhesive consumption etc. is the installer's!

Find out more at: <http://bit.ly/flatroofinghighfive>



Pitched Roof Valley Boards - a common misunderstanding


When preformed GRP valley troughs first appeared, they were laid directly onto the rafters and their BBA certificates approved their use in this way.

These troughs soon gained favour for all their benefits, but foot traffic damage began to occur. There was no Standard covering these products, so in 2002, the NFRC published Technical Bulletin 28 'Inclined Preformed Valley Troughs' to provide guidance on the design and installation to meet the criteria of BS 5534-1:1997 'Code of practice for slating and tiling. Design'.


This bulletin states that GRP valley troughs should always be fitted over valley boards and gives two methods. The first is to inset the valley boards flush with the rafters supported on bearers. The second allows for 6mm thick boards to be laid continuously over the rafters, but requires noggins fixed between rafters to support the boards and batten ends.

BS 5534:2003 included the reference to the NFRC document. Accordingly, the GRP manufacturers then had to revise their designs in accordance with TB28, and to suit the change to the use of 25mm thick battens.

The BBA certification requirements soon followed suit, so now all installations should include valley boards to comply with BS and BBA requirements.



Inset Valley Boards



Overlaid Valley Boards



Richard Kendrick, new SIG Roofing Marketing Manager



Richard's marketing career began 10 years ago, starting in engineering before moving into agriculture. On top of the day job, Richard is also a marketing tutor for the Chartered Institute of Marketing and is involved with farming charities.

Richard says he joined SIG Roofing, "... because I can see how the business wants to really focus on customers and provide the best service - and this is always exciting for a marketer. Working in the roofing industry is tough, particularly for contractors, because if a day's work is lost that impacts their

whole business and personal life too. I think INSIGHT, with its focus on increasing knowledge and information on new regulations and product ranges, can help make our customers' lives easier. Plus, with the local heroes we can see how our customers are the bedrock of their communities."

When he's not working on ways to help contractors Richard likes to travel, recently visiting Australia, New Zealand and Singapore. He's also an avid cook and (tries) to play squash!



SIG UK Exteriors ViP scheme winner

James Miller, Sales & Trade Counter Supervisor at SIG Roofing Great Yarmouth was recently announced as the annual winner of the SIG UK Exteriors ViP scheme.

James identified areas where three previous customers had had some issues and he had to pull out all the stops to solve them. It was this determination to go the extra mile and find the right solution for each individual customer that set

James apart and meant he won the award.

He also didn't let small details like not being able to drive stop him - he asked one of our Sales Directors to give him a lift to all the meetings!

James demonstrated that customers are at the heart of everything SIG Roofing staff do and he did a great job in making sure the customers came first.

Here's a word from James on what the award means:

"I was blown away by this award; the way I saw it, I was just doing my job and doing what was required to help regain the customers confidence in us. For that to be recognised at such a high level was unreal! If anything it has motivated me even more and also increased my confidence in the workplace."



Good effort Ian!

We're delighted to report that Ian Goodenough, SIG Roofing Sales Development Manager for the South, finished the 2018 Cape Wrath Ultra in an absolutely fantastic 59 hours, 18 minutes and 26 seconds. To put his achievement into perspective, of the 177 people who started,

110 managed to finish and Ian did incredibly well to come home in 20th place - no mean feat. In the process he has so far raised £1927 for Prostate Cancer UK. Well done Ian!



SIG Industrial Roofing Centre moves to Manchester

The SIG Industrial Roofing Centre, a hub of quality products, technical acumen and service, has moved to Manchester. The Centre helps roofers across the UK make complex projects simpler, whether it's helping calculate the amount of materials needed, coordinating different suppliers or getting the right products in the right place at the right time.

While the location may be different, the Centre will still provide the same high quality services. Here are just some of the tasks the SIG Industrial Roofing Centre can take off your hands:

Design and specification - advice on which materials work together and where to get them.

Matching systems - able to source discontinued products and carry out profile and colour matching.

Offer safety solutions - including barriers, harnessing points, below roof fitting and advice.



Fabricate hard metals - cater to bespoke requirements with a cut-to-size capability, something no other company provides.

Advice and support - provide a dedicated contact to give you impartial help and advice, as well as technical support for their full range of products.

Call the SIG Industrial Roofing Centre on 0870 264 7766 or email industrial@sigroofing.co.uk and their expert team will be happy to answer your questions.



New look SIG Roofing branches open their doors following major refurbishment

The transformation of SIG Roofing branches up and down the country continues with four more branches recently completing their refurbishment. The revamped shop floors in Leigh-on-Sea, Southend-on-Sea, Bishops Waltham and Sittingbourne are helping customers get a much better feel for the extensive range of products available. The changes also create the right environment for the branches to continue to improve the service they provide, ensuring customers have the products they need when they need them.

Each branch held a special open day to celebrate completion of the work with local contractors invited down to see the

improvements. There were a number of special offers on each day as well as refreshments and bacon butties (Sittingbourne even had a burger van!)

As David Platt, Branch Manager at Leigh-on-Sea and Southend-on-Sea said: *"The building industry is a people business, so we wanted to give something back by holding a special grand opening event to thank people for their ongoing support. I'd like to thank all those that came down to support us."*

A sentiment shared by all the branches, who are looking forward to enjoying the new refurbishments with their customers.



Data Protection

A new data protection law, the General Data Protection Regulation (GDPR) came into force in May this year. The law gives people more say on what businesses can do with their personal data, such as requiring

companies to have explicit consent to contact people with marketing material and ensuring their personal data is processed lawfully, transparently and fairly.

SIG Roofing take data protection very seriously so

we've made telling us how you would like to receive information as simple as possible. Just visit www.sigroofing.co.uk/tell-us-how to request marketing information or to update your details.

If you'd like to see our updated privacy policy you can do so at www.sigroofing.co.uk/privacy-policy/



WHERE CAN YOU FIND AN INSIGHT APPROVED STOCKIST?

SCOTLAND

Aberdeen	AB16 5UU	01224 692000
Ayr	KA8 8BL	01292 262885
Broxburn	EH52 5NN	01506 857613
Dundee	DD2 3QQ	01382 833011
Edinburgh	EH6 7LF	01315 542554
Glasgow	G71 6LL	01698 817428
Inverness	IV1 1SY	01463 250318
Kirkcaldy	KY1 2YX	01592 654913
Linwood	PA3 3BQ	01505 321122
Melrose	TD6 ORS	01835 823640

NORTH WEST

Blackpool	FY3 7UN	01253 398376
Bolton	BL3 2NH	01204 523336
Leyland	PR26 7QL	01772 453939
Liverpool	L9 7ET	0151 5212100
Manchester	M11 1BR	01612 307712
Manchester	M34 5LR	0161 3203456
St Helens	WA9 3AP	01744 611471
Wigan	WN3 4BT	01942 615030

CHESHIRE ROOFING SUPPLIES

Crewe	CW2 8UY	01270 251 000
Warrington	WA4 4EZ	01928 796 100

TYNE AND TEES

Gateshead	NE8 3AD	01914 779474
Killingworth	NE12 6QQ	0191 2686627
Middlesbrough	TS2 1DF	01642 242753
Stockton	TS18 2PH	01642 677772

YORKSHIRE

Bradford	BD3 9HB	01274 392433
Grimsby	DN31 2SG	01472 245667
Huddersfield	HD3 4JW	01484 653373
Hull	HU4 6PA	01482 574577
Leeds	LS12 6AB	01132 631263
Leeds	LS9 0PF	0113 2351441
Rotherham	S60 1DA	01709 835500
Scunthorpe	DN16 1DQ	01724 854444
York	YO30 4UU	01904 476319

MIDLANDS

Birmingham	B11 2FE	01217 081515
Birmingham	B19 1ED	01215 239143
Coventry	CV6 6FG	02476 688754
Derby	DE24 8HL	01332 349155
Dudley	DY2 0RL	01384 472420
Leicester	LE18 4TA	01162 785262
Newark	NG24 2EQ	01636 611880
Nottingham	NG7 2NN	01159 851400
Stoke	ST4 2NL	01782 280567
Telford	TF1 5ST	01952 641161

WEST

Bath	BA1 3EN	01225 483828
Bristol	BS2 0UZ	01179 710085
Bristol	BS5 9RD	01179 412412
Bristol	BS3 2TN	01179 663072
Gloucester	GL4 3SJ	01452 521 347
Hereford	HR2 6JT	01432 273084
Oxford	OX2 0ES	01865 790303
Reading	RG30 4BJ	01189 455454
Swindon	SN2 8XA	01793 613339

WALES

Cardiff	CF24 5HB	02920 483939
Porth	CF39 9SJ	01443 681004
Swansea	SA5 7LF	01792 790272

ANGLIA

Bedford	MK41 9QG	01234 325283
Cambridge	CB22 7QP	01223 872260
Colchester	CO2 8JX	01206 877460
Great Yarmouth	NR31 0LY	01493 659991
High Wycombe	HP12 3RJ	01494 450079
Ipswich	IP1 5LU	01473 749621
Kings Langley	WD4 8JU	01923 269983
Kings Lynn	PE34 3AJ	01553 764202
Luton	LU1 3XL	01582 724837
Northampton	NN5 5JF	01604 765684
Norwich	NR3 3ST	01603 487860
Peterborough	PE1 5YB	01733 345004
Southend	SS9 5PR	01702 425213
St Ives	PE27 3YJ	01480 467776
Waltham Cross	EN8 7DZ	01992 624938
Southend	SS2 5QW	01702 613 181

LONDON

Cheam	SM3 9AG	020 8337 9455
Croydon	CR0 2BD	020 8686 6911
Croydon	CR0 4YZ	020 8689 0481
Kentish Town	NW5 3EW	020 7485 5550
Park Royal	NW10 7UL	020 8507 4380
Romford	RM7 0HL	01708 754022
Romford	RM3 8TS	01708 377666
Slough	SL1 4BG	01753 570526
South Harrow	HA2 8AX	0208 426 8838
Stratford	E15 2RW	020 8536 5400
Tottenham	N17 8HJ	020 8808 6816

UNITED TRADING COMPANY

Chingford	E4 7HZ	020 8559 4334
Rayleigh	SS6 7XF	01268 798 999

UNDERCOVER ROOFING SUPPLIES

SOUTH EAST

Finchampstead	RG40 4RB	01189 733788
Folkestone	CT19 5EY	01303 226888
Gravesend	DA12 2PS	01474 532999
Hastings	TN38 9ST	01424 853099
Horsham	RH12 2NW	01403 270640
Hove	BN3 7ES	01273 328640
Leatherhead	KT22 7LF	01372 361600
Lewes	BN7 2BQ	01273 488888
Maidstone	ME15 9NL	01622 843399
Milford	GU8 5BB	01483 425828
Ramsgate	CT11 7QE	01843 592772
Sidcup	DA14 6QF	0208 302 5451
Sittingbourne	ME9 7NU	01795 843967
Tunbridge Wells	TN2 3DY	01892 515599
Worthing	BN14 8NW	01903 201013

GREENJACKETS

Hanwell	W7 2QD	020 8571 6555
Weybridge	KT15 2SD	01932 850500
Woking	GU21 3BA	01483 215100

SOUTH COAST

Bishops Waltham	S032 1BH	01489 896544
Bournemouth	BH12 4BJ	01202 731867
Eastbourne	BN23 6QN	01323 500458
Poole	BH15 4BN	01202 682491
Portsmouth	PO3 5AY	02392 690214
Southampton	SO15 0LG	02380 365555
Waterlooville	PO7 6QX	02392 258344

SOUTH WEST

Exeter	EX2 8PY	01392 250323
Newquay	TR7 2SX	01637 852660
Plymouth	PL1 4LL	01752 509538
Taunton	TA1 5LY	01823 323888
Torquay	TQ2 7BD	01803 613212

OVER 120 BRANCHES NATIONWIDE OFFERING

- Over 40,000 roofing products
- Supply of leading brands
- Delivering the products you need, when you need them - nationwide
- Dedicated Industrial Roofing team
- Accredited contractor scheme for flat roofing

For editorial enquiries please contact the editor at insightnews@sigroofing.co.uk

Any views and opinions expressed are solely those of the author and do not necessarily reflect those of INSIGHT Newsletter from SIG Roofing. All rights reserved. No copying by any means is permitted, except when permission is given in writing by INSIGHT Newsletter from SIG Roofing. The publication contains manufacturer's product information that is reproduced by INSIGHT Newsletter from SIG Roofing in good faith, based on the latest knowledge available. While every effort has been made to ensure that the information is current and correct, INSIGHT Newsletter from SIG Roofing cannot accept responsibility for the application and performance levels of the products featured. Neither can we accept responsibility where the manufacturer's instructions have not been followed. © INSIGHT Newsletter 2018.