



**ALL THE PRODUCTS
I NEED FROM MY LOCAL
ROOFING SUPPLIER**



**YOUR GUIDE
TO OUR
SIG ROOFING
BRANDS**

WE'VE GOT YOU COVERED

CONTENTS

Our Product Ranges	3	Tile Clips	24
Our Brands	4	Nail Fuel Pack	25
Whats available at your local SIG Roofing Branch?	6	Dry Verge	26
Supporting Contractors	7	Dry Valley	27
SIGNature		FIX-R Classic	
Torch On Felt	8	Liquid I0 System	28
Clay Tiles	9	Torch On Felt	29
FIX-R		Rainwater Outlets	30
Torch On Felt	10	TIL-R Classic	
Liquid Waterproofing	11	Eaves Protection System	31
EPDM	12	HIP Support Tray	32
GRP	13	Fascia Vent	33
PU Adhesive	14	Heavy Duty Rubble Sack	33
Paints & Primers	15	Range Overview Tables	34
FIX-Rcryn Roof Repair System	16		
Insulation	17		
Glass Rooflights	18		
Reinforced Single Ply	19		
TIL-R			
Pitched Roof Underlay	20		
Pitched Insulation	21		
Universal Dry Fix Ridge Kit	22		
Concrete Ridge Tiles	23		



SIG ROOFING PRODUCT RANGES

At your local SIG Roofing you'll find our product ranges;

- Brand quality products with our own label on it
- All the quality checks you would expect from a major brand
- Quality backed by market leading warranties
- Prices to suit all budgets

WHEN YOU NEED A PROFESSIONAL RANGE OF ROOFING PRODUCTS DESIGNED TO MEET YOUR STANDARDS OF USABILITY AND QUALITY AT A COMPETITIVE PRICE, OUR OWN LABEL PRODUCTS HAVE BEEN DEVELOPED WITH YOUR CONSTRUCTION NEEDS IN MIND.

Pitched roof products

Flat roof solutions



SIGNATURE^S

Architects, specifiers and specialist contractors choose SIGNature products for their best in class quality, warranties and support.

Exceptional warranties and service offer total peace of mind for architectural and specification projects in three key areas: Beautiful handmade, hand crafted and machine made clay tiles; torch on systems which include corresponding products with 20 or 25 year warranties; PU Liquid Waterproofing with 10 or 20 year warranties.

SPECIALIST PRODUCTS FOR ROOFING

No-nonsense items that appeal to roofing and building contractors as well as home improvers for their great value.

Easily available in branch and always competitively priced, these products are thoroughly reliable and help to get the job done within budget.





SOLUTIONS FOR PROFESSIONALS

FIXER

FLAT ROOFING

TILER

PITCHED ROOFING

Professional roofing and home improvement contractors are reassured by the known quality of these major flat and pitched roofing brands.

When your project demands good quality and great usability at a reasonable price, plus the unique ONE Warranty backup, this comprehensive range of products is a consistently reliable choice.



PRODUCTS FIT FOR PURPOSE

WHAT'S AVAILABLE AT YOUR LOCAL SIG ROOFING BRANCH?

THE RIGHT SOLUTIONS FOR THE JOB

When you purchase any of these products you want to be confident that there is support now and in the future. We at SIG Roofing offer:

- Offer impartial product advice
- Support customers with technical advice in branch and on-site
- Work with trade associations, training and testing organisations
- Have an in-depth understanding of market and legislative compliance
- Stock the latest products from market-leading manufacturers

We commit to these goals as we have the backing of our parent group, SIG plc, a FTSE 250 listed construction distribution company.



SUPPORTING CONTRACTORS

CORE RANGE

With our Core Range you can be confident that the essential products you need will be in stock and ready for delivery or collection EVERY DAY.

ONE WARRANTY

The ONE Warranty scheme is a free to use warranty for the complete build-up of your roofing projects.

- 15 year product warranty scheme
- Covers all the products in a complete roof build up
- One stop warranty shop
- Suitable for flat & pitched roof build ups

TRADE CLUB

As a member of Trade Club you get points when you purchase your roofing products and earn rewards every month.

- Collect 1 point for every £1 you spend
- Earn double points on specified products
- Spend your vouchers in branch

WANT TO KNOW MORE? PLEASE VISIT THE WEBSITE FOR ADDITIONAL INFORMATION, REGISTRATION AND DOWNLOADS ON ALL THESE SERVICES.



SIGNATURE^S

TORCH ON FELT



Typical applications

- New build and overlay projects
- Small scale or large commercial projects



Advantages

- Traditional tried and tested method
- Full BBA Accreditation
- AA Fire rated Cap Sheet
- Self-Adhesive VCL option
- Available in 2 colours of mineral finish, black or green
- SIG linked materials and labour Warranty
- Competitively priced



Ancillaries

- Capsheet (2 colours)
- Three underlay options:
 - SIGnature Underlay25
 - SIGnature Underlay20
 - SIGnature UnderlaySA (Self Adhesive)
- Self adhesive VCL



Limitations

- Hot applied system – Higher level of risk associated with installation resulting in higher insurance costs
- Not a seamless system – i.e. the overlapping joints are visible and prone to freeze thaw erosion if not installed correctly
- Product is bulky and heavy to handle



Website:

www.sigdandt.co.uk

Downloads:

Brochure
Product Data Sheet
Safety Data Sheet

SIGNATURE^S

CLAY TILES



Typical applications

- New build and refurbishments
- Conservation projects
- Traditional and contemporary building styles



Advantages

- Three ranges
 - Handmade
 - Hand Crafted
 - Machine Made
- Tiles, fittings and accessories available to complete your project
- Can be used for roofing or cladding
- Made from high quality natural clay
- Traditional, time-honoured aesthetic
- Classified as Category I for impermeability
- Classified as Pass for flexural strength
- Classified as Level I for frost resistance



Ancillaries

- Gable Tiles
- Eave Tiles
- Ridge Tiles
- Bonnet Hips
- Valley Tiles
- Baby Ridges



Limitations

- Clay tiles are a premium product and attract a premium price



Website:

www.sigroofing.co.uk

Downloads:

Brochure
Product Data Sheet



TORCH ON FELT



Typical applications

- Flat roofs with few upstands
- Domestic or commercial applications, large or small
- New build or refurbishment of existing felt and asphalt roofs



Advantages

- Traditional tried and tested method
- The most widely used flat roof waterproofing method
- Widely available
- Competitively priced
- Cleaner to work with than Pour & Roll
- The gas torch can be used to control the flow of bitumen




Ancillaries

- Capsheet (4 colours)
- Universal Underlay
- Universal Torch On Venting Layer



Limitations

- Hot applied system - Higher level of risk associated with installation resulting in higher insurance costs
- Not a seamless system - i.e. the overlapping joints are visible and prone to freeze thaw erosion if not installed correctly
- Product is bulky and heavy to handle
- Naked flames



Website:

www.fix-r.co.uk

Downloads:


Brochure
Product Data Sheets
Installation Instructions
Videos



15 YEARS



20 YEARS



LIQUID WATERPROOFING



Typical applications

- Small or large commercial projects
- New build or refurbishment
- Flat roofs, balconies*, terraces* and walkways*
- Gutters
- Profile roofs
- Complex detailing, up-stands, penetrations and terminations
- Over-coating failed single ply or existing coatings



Advantages

- Cost effective wet-on-wet application
- Minimum wastage - unused product can be stored and reused
- Cold applied
- Water repellent on application
- Ready to use, single liquid component
- Fully reinforced with polyester fabric
- Can be applied all year round above 5°C
- Can be re-coated
- Bonds to most conventional roof substrates when used with the appropriate FIX-R Liquid Roofing Primer
- Excellent elasticity and tensile strength
- Resistant to standing water
- No shrinkage - 100% solids
- UV stable
- Vapour permeable
- Non hazardous - solvent-free and virtually odourless
- Extremely low VOC's



Ancillaries

- Stain Blocker
- Fabric
- Jointing Tape



Limitations

- Can't be applied in the rain
- Must be used with Fabric



Website:

www.fix-r.co.uk

Downloads:

Brochure
Product Data Sheet
Safety Data Sheet
Installation Instructions
Videos



15 YEARS

*When used under a suitable paving system

EPDM



Typical applications

- Domestic or commercial applications, large or small
- New build or refurbishment



Advantages

- Durable - expected lifespan of 50 years
- Flexible and not affected by temperature variations
- Safe, flame-free installation
- Cost effective and maintenance free
- Choice of widths and thickness's
- Lightweight, quick and easy to install



Ancillaries

- Adhesive
- Tape
- Trims
- Fasteners
- Outlets



Limitations

- Colour
- The more up-stands and other details, the longer the installation process
- Cannot be installed on a wet surface



Website:

www.fix-r.co.uk

Downloads:

Brochure
 Product Data Sheet
 Safety Data Sheet
 CAD Drawings
 Videos

EPDM Calculator:

www.fix-r.co.uk/calculator



20 YEARS

GRP



Typical applications

- Extensions
- Garages
- Dormer Roofs
- Balconies (with anti slip)
- New build or refurbishment



Advantages

- Cold applied
- Will form to any shape
- Creates an attractive, seamless finish
- Quick and easy to apply by both roller and brush
- Remains watertight and maintenance free for many years
- Fibreglass reinforcement



Ancillaries

- Topcoat
- Catalyst
- Resin
- Chopped Strand Matting
- Sealer / Primer / Adhesive
- Iron Silicate
- Woven Tape
- Acetone
- Trims



Limitations

- GRP needs laying on a new dry deck in temperatures not less than 7.5°C (cold weather resin and catalyst available if required)
- Requires a longer weather window
- Do not apply to wet boards or PVC / nylon substrates



Website:

www.fix-r.co.uk

Downloads:

Brochure
Safety Data Sheet
Product Data Sheets
Installer Video



20 YEARS



25 YEARS

PU ADHESIVE



Typical applications

- Securely bonds insulation board to various roof substrates
- Designed to bond all types of insulation including PIR, mineral wool and EPS and has the option of bonding board straight to deck or vapour control layer (VCL)




Advantages

- High adhesion to resist wind uplift
- Flexible with gap filling properties
- Temperature resistance: -40°C to $+100^{\circ}\text{C}$
- Eliminates the need for 'hot works' - maximising contractor / building safety
- Non-flammable
- Chemical and water-resistant
- Reduces the need for intrusive and damaging mechanical fixings / fasteners



Limitations

- Cannot be used between two foiled insulation surfaces




Website:

www.fix-r.co.uk

Downloads:

Data Sheet
Safety Data Sheet



PAINTS & PRIMERS

FIX-R ROOFING FELT ADHESIVE

A cold applied bitumen adhesive for bonding and sealing roofing felts.

FIX-R BITUMEN PRIMER

Used to prepare and stabilise surfaces prior to application of roofing felt and flashing tapes.

FIX-R ALUMINIUM PAINT

Solar reflective coating used against the effects of UV & heat ageing for built up felt roofing.



FIX-R ALL WEATHER ROOF COAT

A flexible, bituminous coating containing reinforcing fibres and designed for easy application to protect and prolong the life of existing roofing systems.

FIX-R QUICK DRY BITUMEN PRIMER

Seal & prepare surfaces for bituminous waterproofing products.

FIX-R BLACK BITUMEN PAINT

All purpose paint for the protection of external metal, concrete & brickwork.

**Website:**

www.fix-r.co.uk

Downloads:

Brochure
Data Sheets
Safety Data Sheets



FIX-R ROOF REPAIR SYSTEM



Typical applications

- Flat or pitched roofs
- Domestic or commercial refurbishment
- Patch and repair



Advantages

- Low odour and VOC emissions
- Ready to use straight from the can
- Cold applied
- Cost effective
- Flexible and durable
- Instant shower protection
- Fibre reinforced for gap filling
- Unaffected by temperature
- Bridge gaps up to 10mm




Ancillaries

- None



Limitations

- Must be kept away from ignition sources
- Good ventilation is needed during and after application
- Toxic to aquatic animals, must be kept away from ponds
- Not suitable for walkways or balconies
- Not suitable for use on PVC or timber or for internal use



Website:

www.fix-r.co.uk

Downloads:

Brochure
Data Sheet
Safety Data Sheet



INSULATION



Typical applications

- Flat roofing insulation
- New build or refurbishment



Advantages

- Popular sizes held in stock
- All other sizes available to order
- High compression strength & performance
- Lightweight
- Durable



Ancillaries

- Torch On Insulation Board
- Mechanically Fixed Insulation Board
- Fully Bonded Insulation Board



Website:

www.fix-r.co.uk


Downloads:

Brochure
Data Sheet
Safety Data Sheet
Thermal Performance Data Sheet



15 YEARS

FULLY BONDED INSULATION BOARD



TORCH ON INSULATION BOARD



MECHANICALLY FIXED INSULATION BOARD



GLASS ROOFLIGHTS



Typical applications

- Suitable for flat roof installation between 5° and 15°
- New installations or replacement



Advantages

- Available to order in a wide range of sizes
- Double glazed toughened/laminated glass
- Warm edge space bar
- Vertical PVC upstand
- Combined Unit U-Value 1.26 W/m²K
- CWCT tested to Class I




Ancillaries

- Fixed, manual or electric opening options available



Limitations

- Suitable for flat roof installation between 5° and 15°



Website:

www.fix-r.co.uk

Downloads:

Data Sheet
Installation Guide



5 YEARS



REINFORCED SINGLE PLY



Typical applications

- Domestic or commercial applications, large or small
- Ideal for renewals and new builds



Advantages

- Fleece reinforced for added durability
- Unmatched weather resistance in all extreme temperatures
- Pre-applied seam tape for fast application
- Safe, flame free installation
- Available in rolls of 1.52m x 12.2m, 18.54m²
- Lightweight, quick and easy to install



Ancillaries

- Adhesive
- Tape
- Trims
- Fasteners
- Outlets



Limitations

- Colour
- The more up-stands and other details, the longer the installation process
- Cannot be installed on a wet surface



Website:

www.fix-r.co.uk

Downloads:

Brochure

EPDM roofing membrane

Pre-applied seam tape (PST)


Polyester fleece underside

Decking adhesive

Acceptable PIR/PUR insulation board

Acceptable vapour control layer

Structural decking





PITCHED ROOFING

PITCHED ROOF UNDERLAY



Typical applications

- Can be used on all tiled or slated pitched roofs
- Can be used to seal roof lights, chimneys, verges, ridges and hips & valleys
- Suitable for warm and cold applications



Advantages

- Clean to use
- Strong and durable
- High tear resistance
- Lightweight
- Suitable for warm roof application
- Water resistant



Ancillaries

- Eaves protection system



Limitations

- Should not be considered as a primary waterproofing layer



Website:

www.til-r.co.uk

Downloads:

Installation Guide
Declaration of Performance
BBA Certificate
Wind Zone Chart



15 YEARS



TIL-R

PITCHED ROOFING

PITCHED INSULATION



Typical applications

- Suitable for pitched roof, floor or framed wall applications



Advantages

- Lightweight
- Easy to cut, handle and install
- Available in a variety of thicknesses
- Popular sizes held in stock
- All other sizes available to order




Website:

www.til-r.co.uk

Downloads:

Brochure
Data Sheet
Safety Data Sheet
Thermal Performance Data Sheet



15 YEARS



PITCHED ROOFING

UNIVERSAL DRY FIX RIDGE KIT



Typical applications

- Suitable for most hip and ridge applications
- Suitable for high and low profile



Advantages

- Resistant to wind uplift and water penetration
- Quick and easy to fit
- Mechanically fixed solution
- No specialist tools required
- 6m length



Ancillaries

- Dry Fix Ridge Kit Extension Pack



Limitations

- Installation must be done in dry weather



Website:


www.til-r.co.uk

Downloads:

Installation Guide
Product Data Sheet



15 YEARS



CONCRETE RIDGE TILES



Typical applications

- Suitable for use on any pitched roof



Advantages

- Available in two popular colours - Anthracite and Terracotta
- Two options - multi angle and universal angle profiles
- Universal application - ideal for any roof
- Ideal for use with fibre cement and natural slate



Website:

www.til-r.co.uk

Downloads:

Data Sheet

UNIVERSAL



MULTI



60 YEARS



PITCHED ROOFING

TILE CLIPS



Typical applications

- Suitable for use on pitched interlocking tile roofs at all exposures throughout the UK
- New builds
- Domestic or commercial



Advantages

- Single piece, universal tile clips suitable for use with most interlocking tiles
- No nail and clip threading required
- Fast, simple installation
- Does not foul drainage channel thereby allowing free water passage
- Drawn galvanised steel construction
- BS5534 compliant



Limitations

- May not fit some clay interlocking tiles



Website:


www.til-r.co.uk

Downloads:

Data Sheet



15 YEARS



TIL-R

PITCHED ROOFING

NAIL FUEL PACK



Typical applications

- Timber Framing
- Sub flooring
- Roofing
- Sheathing
- Decking
- Fencing



Advantages

- Tensile strength
- Universal, TIL-R nails are compatible with all nail guns
- Designed to work with the majority of gas tools
- Zinc electro galvanised or hot dipped to protect from corrosion



Ancillaries

- Nails
- Guns
- Gas



Limitations

- Extremely flammable in heated environments



Website:

www.til-r.co.uk

Downloads:

Data Sheet
Safety Data Sheet
Declaration of Performance





PITCHED ROOFING

DRY VERGE



Typical applications

- A mortar free system to mechanically fix verge tiles/slates according to BS5534
- Domestic or commercial applications, large or small
- Ideal for repairs, renewals and new builds



Advantages

- Universal ambi unit
- Mortar free, mechanically fixed option
- Water drip channel prevents water staining
- Suits roof pitches up to 55°




Ancillaries

- Ambi verge units
- Half round/segmental or universal angled ridge end caps
- Starter unit (incorporates closure)



Limitations

- Colours available
- May not fit in with the aesthetics of a listed building



Website:

www.til-r.co.uk

Downloads:

Data Sheet





DRY VALLEY



Typical applications

- Both new build and refurbishment



Advantages

- Up to half the cost and time of traditional lead and mortared valley installation
- Lightweight and easy to handle
- UV Resistant
- No harmful run-off or staining
- 30 Year Guarantee



Ancillaries

- Dry valley clips



Limitations

- May not fit in with the aesthetics of a listed building



Website:

www.til-r.co.uk

Downloads:


Data sheets

Installation instructions

OPEN VALLEY TROUGHS FOR SLATE ROOFS



OPEN VALLEY TROUGHS FOR TILE ROOFS



DRY FIX VALLEY TROUGHS



OVER BATTEN DRY FIX VALLEY TROUGHS





LIQUID 10 SYSTEM



Typical applications

- Domestic or commercial applications, large or small
- New build or refurbishment over existing substrates



Advantages

- Ease of application - Single coat or wet-on-wet
- Fast Curing
- Flexible and not affected by temperature variations
- Safe, flame-free installation
- Cost effective
- Bubble free smooth finish
- Remain elastic down to -40°C
- Will not soften in high temperatures
- High tensile and tear strength, excellent abrasion resistance



Ancillaries

- Liquid 10
- Primer 10
- Fibred 10
- Traffic 10
- Jointseal 10
- Liquid 10 Thixo
- Tape 10
- Fabric 10



Limitations

- Can't be applied at temps below 5°C
- Flammable when still wet
- Can't be applied to damp or wet surfaces
- Coverage rates will be dependant on the smoothness of the substrate
- Once bucket opened product must be used immediately



Website:


www.fix-r.co.uk

Downloads:

Brochure
Data Sheet
Safety Data Sheet
Warranty Request Form
Training Video



10 YEARS



TORCH ON FELT



Typical applications

- Flat roofs with few upstands
- Domestic or commercial applications, large or small
- New build or refurbishment of existing felt and asphalt roofs



Advantages

- Traditional tried and tested method
- The most widely used flat roof waterproofing method
- Widely available
- Competitively priced
- Cleaner to work with than Pour & Roll
- The gas torch can be used to control the flow of bitumen



Ancillaries

- Capsheet (4 colours)
- Universal Underlay
- Universal Torch On Venting Layer



Limitations

- Hot applied system - Higher level of risk associated with installation resulting in higher insurance costs
- Not a seamless system - i.e. the overlapping joints are visible and prone to freeze thaw erosion if not installed correctly
- Product is bulky and heavy to handle
- Naked flames




Website:

www.fix-r.co.uk

Downloads:

Brochure
Data Sheet
Safety Data Sheet
Declaration of Performance
Warranty Request Form





RAINWATER OUTLETS



Typical applications

- For use on flat roofs
- Compatible with most waterproofing membranes
- New build or refurbishment projects



Advantages

- Highly resistant to UV, ozone and other atmospheric or chemical agents
- Suitable for use within a wide range of temperatures
- Cost effective



Ancillaries

- Rainwater outlets
- Leaf guards
- Through the wall outlets
- Downpipe connectors
- Breather vents




Website:

www.fix-r.co.uk

Downloads:

Brochure





EAVES PROTECTION SYSTEM



Typical applications

- Pitched roofs
- New build & refurbishment projects



Advantages

- Protects timber fascias from water damage
- Available in 1.5m lengths
- Replaces rotted gutter felt
- Reduces long term eaves maintenance problems



Website:
www.til-r.co.uk

Downloads:
Data Sheet





HIP SUPPORT TRAY



Typical applications

- Pitched roofs
- New build & refurbishment projects




Advantages

- Dry fix - no mortar required
- Lightweight & durable
- Quick & easy to install
- Lets air through whilst keeping moisture out



Ancillaries

- Hip Clips



Website:

www.til-r.co.uk

Downloads:

Data Sheet



15 YEARS



FASCIA VENT



Typical applications

- New build or re-roofing applications
- Conventional cold roofs (10mm vent)
- Warm roofs, flat roofs and pitched roofs below 15° (25mm vent)



Advantages

- Fascia Vents provide unobtrusive continuous eaves ventilation.
- Discreet method of roof void ventilation
- Prevents entry of birds and large insects
- Lightweight and durable



Limitations

- 10mm fascia vent only suitable for duo-pitch type roofs of over 15 degrees.
- For roof pitches above 35° or spans in excess of 10 m, additional high level ventilation at or close to the ridge equivalent to a continuous opening of 5 mm should be provided.
- 25mm fascia vents installed in Mono pitched roofs should also have high level ventilation at the ridge equivalent to a continuous opening of 5mm.



Website:

www.til-r.co.uk

Downloads:

Data Sheet

HEAVY DUTY RUBBLE SACK



Typical applications

- Suitable for disposing of rubble and general building waste



Advantages

- Hard wearing - can be reused and recycled
- 100% waterproof
- Made from recycled materials
- 950mm x 1110mm and 480 gauge thick



Website:

www.til-r.co.uk

Downloads:

Data Sheet

FLAT PRODUCT RANGES

SIGNATURE^S

PRODUCT TYPE	PRODUCT	RANGE COMPONENTS	PRODUCT WARRANTY
LIQUIDS	SIGNature PU-10 / PU-20 Liquid Waterproofing SIGNature Cut Edge Coating	Liquid, Fabric, Tape, Accessories Liquid	10 / 20 Years (DATAC Approved) 10 Years (DATAC Approved)
TORCH ON FELT	SIGNature Torch on System	Capsheets, Underlay, SA	20 / 25 Years (DATAC Approved)

FIX-R

FLAT ROOFING

PRODUCT TYPE	PRODUCT	RANGE COMPONENTS	PRODUCT WARRANTY
PATCH & REPAIR	FIX-Rcyl Roof Repair System	Liquid	5 Years
LIQUIDS	FIX-R Liquid Waterproofing	Liquid, Stain Blocker, Primer, Fabric, Tape, Accessories	15 Years
EPDM	FIX-R EPDM FIX-R Reinforced Single Ply	EPDM Sheet, Adhesives, Trims Rolls, Adhesives, Trims	20 Years 20 Years
GRP	FIX-R GRP	Resin, Topcoat, Accessories	20 / 25 Years
TORCH ON FELT	FIX-R / FIX-R 20 Torch on Felt	Capsheets, Underlay, Venting, P&R	15 / 20 Years
PAINTS & PRIMERS	FIX-R Paints & Primers	Primer, Quick Drying Primer, Reflective Paint, Felt Adhesive, Bitumen Paint	N/A
PU ADHESIVE	FIX-R PU Adhesive	Liquid	N/A
FLAT ROOF WINDOWS	FIX-R Glass Rooflights	Fixed, manual or electric opening options	5 Years

FIX-R CLASSIC FLAT ROOFING

PRODUCT TYPE	PRODUCT	RANGE COMPONENTS	PRODUCT WARRANTY
LIQUIDS	FIX-R Classic Liquid IO System	Liquid, Tape, Accessories	10 Years
TORCH ON FELT	FIX-R Classic Torch on Felt	Capsheets, Underlay	10 Years
OUTLETS	FIX-R Classic Outlets	Flat Roof Outlets, Vents	15 Years

PITCHED PRODUCT RANGES

SIGNATURE^S

PRODUCT TYPE	PRODUCT	RANGE COMPONENTS	PRODUCT WARRANTY
CLAY TILES	SIGNature Clay Tiles	Handmade, Hand Crafted & Machine Made	30 Years

SIGA

PRODUCT TYPE	PRODUCT	RANGE COMPONENTS	PRODUCT WARRANTY
NATURAL SLATE	SIGA Natural Slate	Excellence, Commercial & Classic Ranges	75 Years and 30 Years
REPRODUCTION STONE & SLATE	SIGA Heritage Reproduction Stone & Slate	Reproduction Stone & Reclaimed Slate 2	5 Years
MAN-MADE SLATE	SIGA Fibre Cement	Fibre cement slate- smooth / square edge	30 Years

TIL-R

PITCHED ROOFING

PRODUCT TYPE	PRODUCT	RANGE COMPONENTS	PRODUCT WARRANTY
PITCHED ROOF UNDERLAY	TIL-R Pitched Roof Underlay	Breather membranes	15 Years
DRY FIX RIDGE KIT	TIL-R Dry Fix Ridge Kit	Ridge Roll, brackets, unions, screws	20 Years
RIDGE TILES	TIL-R Concrete Ridge Tiles	Multi Angle & Uni Angle Grey & Terracotta	60 Years
TILE CLIPS	TIL-R Tile Clips	Tile Clips x 2 variants	15 Years
SLATE NAILS	TIL-R Slate Nails	Slate Nails	N/A
SLATE STRAPS	TIL-R Classic Slate Straps	Slate Straps	N/A
EAVES PROTECTION	TIL-R Classic Eaves Protection	Eaves Protection	15 Years
HIP SUPPORT TRAY	TIL-R Classic Hip Support Tray	Hip Support Tray	15 Years
NAIL FUEL PACK	TIL-R Nail Fuel Pack	Nails & Gas	15 Years
DRY VERGE KIT	TIL-R Dry Verge	Ambi Verge Unit, Round or Angled Ridge End Caps, Starter Unit	N/A
DRY VALLEY TROUGHS	TIL-R Dry Valley Troughs	Open Valley Troughs for Slate Roofs Open Valley Troughs for Tile Roofs Dry Fix Valley Troughs Over Batten Dry Fix Valley Troughs Dry Valley Clips	30 Years

TIL-R CLASSIC PITCHED ROOFING

PRODUCT TYPE	PRODUCT	RANGE COMPONENTS	PRODUCT WARRANTY
PITCHED ROOF UNDERLAY	TIL-R Classic Pitched Roof Underlay	Breather & Non-Breather Membranes	15 Years
SLATE STRAPS	TIL-R Classic Slate Straps	Slate Straps	N/A
EAVES PROTECTION	TIL-R Classic Eaves Protection	Eaves Protection	15 Years
HIP SUPPORT TRAY	TIL-R Classic Hip Support Tray	Hip Support Tray	15 Years
FASCIA VENT	TIL-R Classic Fascia Vent	10mm & 25mm Options	N/A
RUBBLE SACKS	TIL-R Classic Heavy Duty Rubble Sacks	950mm x 1110mm and 480 gauge thick	N/A

WE'VE GOT YOU COVERED

YOUR GUIDE TO OUR EXCLUSIVE PRODUCT RANGES

SIGRoofingUK



SIG Roofing UK



sigroofing



sigroofing



@SIGRoofing



SIG Roofing, Harding Way, St Ives,
Cambridgeshire, PE27 3YJ

Tel: 01480 466777

Email: info@sigroofing.co.uk

Websites: www.sigroofing.co.uk

www.fix-r.co.uk

www.til-r.co.uk

www.sigaslate.co.uk

This brochure has been produced by the Marketing Department for SIG Roofing. All rights reserved. No copying by any means is permitted, except when permission is given in writing by SIG Roofing.

This brochure contains manufacturers' product information that is reproduced by SIG Roofing in good faith, based on the latest knowledge available at the time of going to print. Whilst every effort has been made to ensure that the information is current and correct, as distributors SIG Roofing cannot accept responsibility for the application and specification data featured. Neither can we accept responsibility where the manufacturers' instructions have not been followed. We reserve the right to amend, withdraw or substitute these products at any time. Visuals are for illustration purposes only, please go to manufacturers websites for technical specifications.

SIGR OWN BRAND/06/20/V3