

GLASS ROOFLIGHT



FIX-R's Glass Rooflights are quality specification modular glass rooflights, available to order in a wide range of sizes. They can be supplied as fixed, or manually or electrically opening for ventilation.

- Clear glazing
- Anthracite Grey (7016) PVC frame
- Double glazed Toughened/Laminated glass
- Warm edge space bar
- Vertical PVC upstand
- Can be installed to a builder's upstand
- Combined Unit U-Value 1.26 W/m²K

- Should be installed between 5° and 15° pitch with the draining holes at the bottom, to reduce the risk of ponding
- 14 sizes available to order
- CWCT tested to Class 1
- Fixed, manual or electric opening options available



FIX-R Glass Rooflights to suit builder's upstand

Size Ref		To fit external builder's upstand size (mm)
Square	RX S2	600 x 600
	RX S4	700 x 700
	RX S5	800 x 800
	RX S7	900 x 900
	RX S8	1000 x 1000
	RX S9	1100 x 1100
	RX S11	1300 x 1300

Rectangular	RX R5	700 x 1000
	RX R6	700 x 1300
	RX R7	800 x 1100
	RX R16	1000 x 1300
	RX R17a	1100 x 1600
	RX R19	1100 x 2100
	RX R23c	1300 x 2300

150mm PVC vertical upstand

FIX-R Glass Rooflights with

Size Ref		Roof opening/daylight size (mm)
Square	RX S2	500 x 500
	RX S4	600 x 600
	RX S5	700 x 700
	RX S7	800 x 800
	RX S8	900 x 900
	RX S9	1000 x 1000
	RX S11	1200 x 1200

Rectangular	RX R5	600 x 900
	RX R6	600 x 1200
	RX R7	700 x 1000
	RX R16	900 x 1200
	RX R17a	1000 x 1500
	RX R19	1000 x 2000
	RX R23c	1200 x 2200

Options:

- Fixed glass unit only (to fit to a builder's upstand)
- Fixed glass unit with 150mm vertical upstand
- Manual opening glass unit with 150mm vertical upstand
- Electric opening glass unit only (to fit to builder's upstand)
- Manual opening glass unit only (to fit to a builder's upstand) Electric opening glass unit with 150mm vertical upstand



Fixed to fit to builder's upstand



Manual opening to fit to builder's upstand



Electric opening to fit to builder's upstand



Fixed with 150mm vertical upstand



Manual opening with 150mm vertical upstand



Electric opening with 150mm vertical upstand

Date of issue: Mar 19